



PolarBox Series 6' x 6' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

(Model: PBWF6X6-RM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

**10-Year Panel, 1-Year
Parts on Doors, 1-Year
Compressor & Parts on
Remote Refrigeration
Unit**

SPECIAL FEATURES

- ✓ Superior Insulation**
 4-inch polyurethane insulation provides R-28 thermal resistance for consistent storage temperatures and energy efficiency.
- ✓ Durable Build**
 24-gauge white galvanized steel panels with an floor provide strength, stability, and easy-to-clean surfaces for commercial use.
- ✓ Versatile Installation**
 Designed for both indoor and outdoor use, offering placement flexibility for various facility layouts.
- ✓ Safety Compliance**
 UL Listed US, NSF Listed, and DOE certified for quality and safety standards.
- ✓ Secure Access**
 77-inch swing-style, self-closing flush-mounted door with keyed lock and modular cam-lock design offers safe and convenient entry.
- ✓ Accurate Temperature Control**
 Thermostatic expansion valve with liquid line solenoid maintains precise cooling performance.
- ✓ Reliable Power**
 Operates on 208/230 V, 60 Hz, single-phase power for dependable electrical performance.
- ✓ Comprehensive Warranty**
 10-year panel warranty, 1-year parts for doors, and 1-year compressor and parts coverage on the remote refrigeration unit.



PRODUCT OVERVIEW

The PolarBox Series walk-in cooler is designed for commercial kitchens, restaurants, catering operations, and food storage facilities. Made in America from 24-gauge white galvanized steel, the cooler has a solid swing door standing 77 inches tall, with a self-closing flush-mounted design and keyed lock for secure access. The door features a modular cam-lock and tongue & groove hinge system for smooth and reliable operation.

The unit is built with 4-inch polyurethane insulation, providing R-28 thermal resistance to maintain stable cold storage. Its floor adds durability, strength, and hygiene, while included condensing unit and evaporator components ensure efficient cooling.

Compatible with 1-phase 208/230 V, 60 Hz power, the cooler incorporates a thermostatic expansion valve with a liquid line solenoid (TXV/TEV) for precise temperature control. Designed for both indoor and outdoor use, the unit is fully CFC & HFC free, supporting environmentally safe operation.

With nominal dimensions of 6 ft (W) × 6 ft (D) × 7 ft (H), this commercial walk-in cooler is UL Listed US, NSF Listed, and DOE certified. It comes with a 10-year panel warranty, 1-year parts warranty on doors, and 1-year compressor and parts coverage on the remote refrigeration unit, providing manufacturer-backed support for reliable, long-term performance.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	59 inch	Product Depth	79 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	6 ft	Nominal Width	6 foot
Hertz	60 hertz	Phase	1 Phase
Voltage	208/230 volt	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Type	Walk-In Cooler	Floor	With Floor
Plug Type	Hardwired	Usage	Indoor/Outdoor
Country of Origin	Proudly Made in America	Selling Unit	1/Each



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Door Style	Swing	Gauge	24 Gauge
Thermal Resistance	R-28	Features	Self-Closing, Flush-Mounted Door
Valve Type	Thermostatic Expansion, Liquid Line Solenoid Valve (TXV/TEV)	Included	Condensing Unit and Evaporator
Number of Doors	1 Door	Nominal Height	7 foot
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Material Type	CFC & HFC Free
Series	PolarBox Series	Refrigeration Type	Remote Refrigeration
Floor Material	Standard Galvanized Steel Floor	Refrigerant Type	R-448A

PolarBox Series 6' x 6' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

Model: PBWF6X6-RM



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



