



Platinum Frost Series 48" Commercial Undercounter Freezer, 12 Cu.ft, 2 Door, Stainless Steel, -8°F to 0°F, 115v

(Model: PFUF48)

★★★★★ (4.7/5)

Buy Now

WARRANTY
Parts & Labor: 2 Years
Compressor: 6 Years



SPECIAL FEATURES

- Professional-Grade Construction**
 Durable stainless steel interior and exterior with silver finish, featuring two solid swing doors and epoxy-coated wire shelves.
- Eco-Friendly Cooling**
 Self-contained refrigeration system uses R-290 hydrocarbon refrigerant, promoting environmental sustainability while ensuring powerful freezing performance.
- Mobile Solution**
 Four integrated casters enable easy movement and repositioning within commercial kitchen environments.
- Safety Certified**
 ETL Listed, ETL Sanitation Listed, and OE certified, ensuring compliance with commercial kitchen safety and sanitation standards.
- Simple Installation**
 Standard 115V operation with NEMA 5-15P plug and 8.2 ft power cord for straightforward setup and connection.
- Temperature Control**
 Maintains consistent temperatures between -8°F to 0°F with electronic control system and efficient magnetic door gaskets.
- Easy Access**
 Self-closing doors with 90° stay-open function and flexible left/right hinge placement for convenient product storage and retrieval.
- Hassle-Free Operation**
 Auto defrost system and electronic temperature control minimize maintenance requirements and ensure consistent performance.
- Extended Protection**
 Comprehensive warranty including 2-year parts and labor coverage, plus 6-year compressor protection.



PRODUCT OVERVIEW

This undercounter freezer is ideal for restaurants, bakeries, and compact commercial kitchens needing dependable frozen storage in a space-saving footprint. Made of stainless steel with a silver finish, it offers a total capacity of 12 cubic feet and includes two solid swing doors with left/right hinge placement, two sections, and two epoxy-coated steel wire shelves.

The stainless steel interior measures 43.7" x 19.9" x 24.8" (W x D x H) and features magnetic door gaskets for an efficient seal. Powered by a self-contained refrigeration system using R-290 hydrocarbon refrigerant, it maintains temperatures between -8°F to 0°F and includes auto defrost and electronic temperature control.

The unit operates on 115V, 60 Hz, single-phase power, drawing 2.5 amps and 450 watts, and connects via a NEMA 5-15P plug with an 8.2 ft power cord. Additional features include self-closing doors, a 90° stay-open function, and four casters for mobility.

Its product dimensions are 48" x 29.9" x 35.2" (W x D x H). The freezer is ETL Listed, ETL Sanitation Listed, and OE certified. It is sold as 1 each and includes a 2-year parts and labor warranty, plus a 6-year compressor warranty.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

OE certified

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Power Cord Length	8.2 foot	Amps	2.5 ampere
Voltage	115 volt	Refrigerant Type	R-290
Temperature Range	-8°F to 0°F	Hertz	60 hertz
Phase	1 Phase	Number of Doors	2 Doors
Access Type	Door	Capacity	12 cubic feet
Casters	With Casters	Color	Silver
Door Type	Solid	Features	Precision Refrigeration System, Self-closing Doors, 90° Stay-open
Number of Shelves	2 Shelves	Plug Type	NEMA 5-15P
Sections	2 Sections	Shipping Weight	245 pound
Type	Undercounter Freezer	Hinge Location	Left / Right
Interior Depth	19.9 inch	Interior Height	24.8 inch
Interior Width	43.7 inch	Material	Stainless Steel
Selling Unit	1/Each	Product Weight	223 pound
Temperature Control	Electronic Control	Interior Material	Stainless Steel
Shelf Material	Epoxy Coated Steel Wire	Door Gasket	Magnetic Door Gasket
Drawer Gasket	Magnetic Door Gasket	Refrigerant Class	Hydrocarbon



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Refrigeration Type	Self-contained	Installation Type	Freestanding
Defrost Type	Auto Defrost	Shipping Width	50.2 inch
Shipping Depth	31.1 inch	Shipping Height	38.4 inch
Wattage	450 watt	Product Width	48 inch
Product Depth	29.9 inch	Product Height	35.2 inch
Series	Platinum Frost Series		