



Frigomax Series 24" Countertop Reach-In Ventilated Freezer, 1 Solid Door, White Coated Steel, 1 Year Warranty

(Model: FRVF24A)

★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Warranty



SPECIAL FEATURES

- Compact Footprint**
 At 23 3/8" wide and 34 5/8" tall, this freezer fits under counters or in tight back-of-house spaces without displacing prep room.
- Precise Temperature Hold**
 Electronic temperature control with a digital display maintains the cabinet between -8°F and 0°F, keeping frozen foods within a safe, consistent deep-freeze range.
- Adjustable Shelf Layout**
 Two adjustable epoxy-coated shelves let kitchen staff reconfigure interior storage to accommodate tall containers, sheet pans, or varying frozen stock without extra hardware.
- Standard Plug-In Power**
 The NEMA 5-15P plug and 115V/60Hz single-phase draw mean the freezer connects to a standard wall outlet — no dedicated circuit or electrician required in most commercial kitchens.
- Sanitation-Certified Build**
 ETL Sanitation Listed certification confirms the unit meets recognized food-zone hygiene standards, supporting compliance in inspected restaurant and food service environments.
- Included Warranty Coverage**
 Each unit ships with a 1-year warranty, providing a defined service window for a commercial kitchen investing in frozen storage equipment.



PRODUCT OVERVIEW

The Frigomax Series VBF200VW is a compact, single-door upright reach-in freezer designed for commercial kitchens, restaurants, and food service operations where counter-level frozen storage is needed in a tight footprint.

The unit measures 25 3/4" (D) x 23 3/8" (W) x 34 5/8" (H) and holds 4 cubic feet of frozen product across two adjustable, epoxy-coated shelves, making it a practical fit for back-of-house prep areas, bar stations, or small service lines. The solid swing door is right-hinged and includes a keyed lock with keys supplied, supporting basic access control in shared kitchen environments.

Temperature is managed electronically with a digital display, holding a range of -8°F to 0°F — a standard deep-freeze band for most frozen food and ice cream applications. The ventilated refrigeration system uses R-600a refrigerant, a low global-warming-potential option. The 1/5 HP compressor draws 1.9 amperes at 115V/60Hz on a single-phase circuit and connects via a standard NEMA 5-15P plug, requiring no special electrical work in most commercial kitchen settings.

The cabinet is constructed from coated steel and carries both ETL Listed and ETL Sanitation Listed certifications, confirming it meets recognized safety and food-zone sanitation standards. A 1-year warranty is included with each unit.

CERTIFICATIONS

- ETL Listed
- ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Access Type	Door
Amps	1.9 ampere	Capacity	4 cubic feet
Door Type	Solid	Number of Shelves	2
Phase	1 Phase	Plug Type	NEMA 5-15P
Refrigerant Type	R-600a	Sections	1 Section
Temperature Range	-8°F to 0°F	Type	Upright Ventilated Freezer
Voltage	115 volt	Hertz	60 hertz
Hinge Location	Right	Horsepower	1/5 horsepower
Material	Coated Steel	Selling Unit	1/Each
Shelf Material	Epoxy coated	Refrigeration Type	Ventilated



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Door Style	Swing	Temperature Control	Electronic
Product Width	23.38 inch	Product Depth	25.75 inch
Product Height	34.63 inch	Country of Origin	China
Lock Type	Keyed Door Lock	Series	Frigomax Series
Shelf Type	Adjustable	Dutch Half Doors	Without Dutch Half Doors
Display	Digital	Included	Locks and keys

Frigomax Series 24" Countertop Reach-In Ventilated Freezer, 1 Solid Door, White Coated Steel, 1 Year Warranty

Model: FRVF24A



SALES & SUPPORT
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

