



PolarBox Series 10' x 17' Walk-In Cooler & Freezer Combo with Floor & Top Mounted Refrigeration

(Model: PBCMB10X17-14C3F)

★★★★★ (4.7/5)

Buy Now

WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit



SPECIAL FEATURES

- ✓ **Superior Insulation Performance**
Provides R-28 thermal resistance in the cooler and R-33 in the freezer, making it ideal for a walk in fridge freezer combo that consistently maintains optimal temperatures.

✓ **Ice Prevention System**
Freezer doors feature a heating wire and pressure relief vent to prevent ice accumulation and maintain proper airflow.

✓ **Sturdy Construction**
Heavy duty floor construction designed for intensive commercial use and heavy load-bearing capabilities.

✓ **Eco-Friendly Materials**
CFC- and HFC-free construction supports environmentally responsible operation.
- ✓ **Advanced Door Security**
Self-closing doors with keyed locks, flush-mounted panels, and modular cam-lock system for reliable security and sealing.

✓ **Certified Compliance**
UL, NSF, and DOE certifications provide compliance with industry standards for safety and energy efficiency.

✓ **Flexible Installation Options**
Suitable for both indoor and outdoor installation with self-contained top-mounted compressor system.

✓ **Comprehensive Warranty Protection**
Includes 10-year panel, 1-year door parts, 2-year compressor & parts, and 1-year labor on refrigeration unit.



PRODUCT OVERVIEW

The PolarBox Series Walk In Cooler and Freezer Combo is designed for reliable indoor/outdoor cold storage. Made in America, this walk in fridge freezer measures 17 ft (L) × 10 ft (W) × 7 ft (H) and features two 77-inch high doors, including a 14 ft cooler section and a 3 ft freezer section.

A self-contained, top-mounted compressor with R-448A refrigerant provides consistent temperature control for both compartments, accommodating large volumes of perishable goods. Freezer doors feature a heating wire and pressure relief vent to maintain airflow and prevent ice buildup.

Built with white galvanized steel and 4-inch polyurethane insulation, the unit offers thermal resistance of R-28 in the cooler and R-33 in the freezer. Doors include keyed locks, self-closing flush-mounted panels, and modular cam-lock with tongue & groove hinges.

Durable and Certified Commercial Walk In Fridge Freezer

This walk in cooler freezer combo operating on 208/230 V, 60 Hz, it comes with a condensing unit and evaporator and is UL, NSF, and DOE certified. Built with CFC and HFC-free materials, it supports environmentally responsible operation. Warranty coverage includes 10-year panels,, 1-year door parts, 2-year compressor and parts, and 1-year labor on the unit for long-term reliability.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Nominal Width	10 foot	Hertz	60 hertz
Phase	1 Phase	Voltage	208/230 volt
Door Type	Solid	Number of Doors	2 Doors
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Floor	With Floor
Material	White Galvanized Steel	Plug Type	Hardwired
Refrigerant Type	R-448A	Type	Walk-In Combination Freezer / Cooler
Usage	Indoor/Outdoor	Country of Origin	Proudly Made in America
Selling Unit	1/Each	Product Width	118 inch
Product Depth	197 inch	Product Height	91 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Cooler Section Length	14 foot	Freezer Section Length	3 foot
Door Style	Swing	Gauge	24 Gauge
Thermal Resistance	R-28 Cooler / R-33 Freezer	Features	Self-Closing, Flush-Mounted Door, Heating Wire and Pressure Relief Vent for freezers Only
Included	Condensing Unit and Evaporator	Door Height	77 inch
Nominal Height	7 foot	Compressor Location	Top Mounted
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Refrigeration Type	Top Mounted Refrigeration
Material Type	CFC & HFC Free	Series	PolarBox Series
Nominal Length	17 foot	Floor Material	Standard Galvanized Steel Floor
Nominal Depth	17 ft		

PolarBox Series 10' x 17' Walk-In Cooler & Freezer Combo with Floor & Top Mounted Refrigeration

Model: **PBCMB10X17-14C3F**



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

