



Frigomax Series 54" Reach-In Freezer, Top Mounted, 2 Doors, Stainless Steel, 1 Year Warranty

(Model: FRRF54T)



★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Warranty

SPECIAL FEATURES

- Capacity**
 Two sections totaling 46 cubic feet of interior space support substantial frozen ingredient storage for busy restaurant and catering operations.
- EC Fan Motor**
 The top-mounted compressor works alongside an EC fan motor to deliver efficient airflow throughout the cabinet, supporting stable cabinet temperatures.
- ETL Certified**
 ETL Listed and ETL Sanitation Listed certifications confirm the unit meets recognized safety and sanitation standards required for commercial kitchen installations.
- Temperature**
 Electronic temperature control maintains a consistent range of 0°F to -8°F, keeping frozen stock at required food-safe temperatures throughout service.
- Adjustable Epoxy Shelves**
 Six adjustable epoxy-coated shelves across two sections allow kitchen staff to reconfigure storage layouts to accommodate pans, trays, and bulk items.
- 1-Year Warranty**
 Each Frigomax Series Reach-In Freezer is backed by a 1-year warranty, providing defined coverage for commercial kitchen operations from the date of purchase.



PRODUCT OVERVIEW

The Frigomax Series 54-inch Reach-In Freezer is a freestanding, two-section commercial freezer designed for restaurants, catering operations, and other food service environments that require reliable below-zero cold storage. With a 46 cubic foot capacity and two solid swing doors, it accommodates high-volume ingredient storage while maintaining a consistent temperature range of 0°F to -8°F.

The unit measures 32 1/16" (L) x 54 1/8" (W) x 82 1/16" (H) and is constructed from stainless steel in a silver finish, offering a durable exterior suited to the demands of a busy commercial kitchen. The top-mounted 1/2 horsepower compressor operates on 115V/60Hz single-phase power, drawing 5 amperes through a NEMA 5-15P plug, and features an energy-efficient EC fan motor for consistent air circulation throughout the cabinet.

Inside, six adjustable epoxy-coated shelves provide flexible storage configurations for pans, trays, and packaged goods across both sections. Electronic temperature control allows kitchen staff to monitor and adjust cabinet temperature precisely, while self-closing doors with a 90-degree stay-open feature support smooth workflow during service. Each door is hinged for left or right use and fitted with a keyed lock; locks and keys are included with the unit.

The freezer travels on four casters with brakes, making repositioning straightforward during cleaning or kitchen reconfiguration. It carries ETL Listed and ETL Sanitation Listed certifications, confirming it meets applicable safety and sanitation standards for commercial food service use. A 1-year warranty is included with each unit.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	Amps	5 ampere
Capacity	46 cubic feet	Casters	With Casters
Color	Silver	Compressor Location	Top Mounted
Door Type	Solid	Features	Self-Closing doors with 90 degree stay-open feature; EC fan motor
Number of Shelves	6	Phase	1 Phase
Plug Type	NEMA 5-15P	Sections	2 Sections
Temperature Range	0°F to -8°F	Type	Reach-In Freezer
Voltage	115 volt	Hertz	60 hertz
Hinge Location	Left / Right	Horsepower	1/2 horsepower
Installation Type	Freestanding	Material	Stainless Steel



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Selling Unit	1/Each	Shelf Material	Epoxy coated
Door Style	Swing	Temperature Control	Electronic
Product Width	54.13 inch	Product Depth	32.06 inch
Product Height	82.06 inch	Country of Origin	China
Lock Type	Keyed Door Lock	Caster Type	Casters with brakes
Number of Casters	4 Casters	Series	Frigomax Series
Shelf Type	Adjustable	Dutch Half Doors	Without Dutch Half Doors
Included	Locks and keys		

Frigomax Series 54" Reach-In Freezer, Top Mounted, 2 Doors, Stainless Steel, 1 Year Warranty

Model: FRRF54T



SALES & SUPPORT
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

