



Medal Equipment 48" Sandwich / Salad Prep Table, 2 Doors, 12 Pans, Stainless Steel, 2 Year Warranty

(Model: SWP12248)

★★★★★ (4.7/5)

Buy Now

WARRANTY
2 Year Warranty



SPECIAL FEATURES

- High-Volume Food Prep**
 12 cu. ft. capacity with refrigerated base and 12 clear polycarbonate pans provides organized, efficient commercial food preparation workspace.
- Durable Construction**
 Stainless steel interior and exterior with PE-coated wire shelves supporting up to 100 lbs per shelf.
- Certified Safety**
 ETL Sanitation, cETLus, and NSF certifications guarantee compliance with industry safety and hygiene requirements.
- Easy Mobility**
 Four 2.5-inch swivel casters with brakes allow convenient repositioning and secure placement.
- Convenient Power Connection**
 9-foot power cord with NEMA 5-15P plug compatible with 115V outlets.
- Precise Temperature Control**
 Dixell electronic thermostat with digital LED display maintains consistent temperatures between 33°F-41°F for optimal food storage.
- Efficient Cooling System**
 1/5 HP compressor with 1365 BTU/hr cooling capacity and eco-friendly R-290 refrigerant ensures reliable performance.
- Assured Warranty Protection**
 Backed by a 2-year warranty, providing reliable support from the manufacturer.
- Energy Efficient Design**
 Half-inch polyethylene insulation and magnetic door gaskets maximize temperature retention and minimize energy consumption.
- Spacious Work Surface**
 Wide cutting board provides ample preparation space at comfortable working height.



PRODUCT OVERVIEW

The Medal Equipment SWP12248 Sandwich and Salad Prep Table is a reliable and efficient unit ideal for prep work in commercial kitchens. Made from durable stainless steel interior and exterior and a sleek silver finish, it is designed for heavy-duty food preparation. The unit offers a 12 cu. ft. capacity with a refrigerated base and a cutting board (47.9" W x 12" D) on its standard top. It has twelve 1/6-size, 4-inch-deep clear polycarbonate pans for fresh ingredient storage.

The interior includes a PE-coated wire shelf capable of holding 100 lbs. per shelf. It features 2 solid left/right hinged swing doors, insulated with magnetic gaskets to ensure optimal cold retention. Powered by a 1/5 HP side-mounted, front-breathing compressor, the unit maintains a consistent temperature between 33°F and 41°F. The R-290 hydrocarbon refrigerant (3.17 oz), copper-coated condenser, and copper evaporator deliver efficient, eco-friendly cooling.

A Dixell electronic thermostat with a digital LED display ensures precise control, while auto defrost helps reduce maintenance. With 1365 BTU/hr cooling capacity, it is designed for dependable performance. This freestanding unit has a work surface height of 36.2" and offers easy mobility via 4 swivel casters (2.5") with brakes. Measuring 48.2" W x 29.9" D x 43.2" H, it stands 47.6" tall with casters.

A 9 ft power cord with a NEMA 5-15P plug allows simple connection to a 115 V, 4.3 A, single-phase, 60 Hz power source. The polyethylene insulation (1/2 in thick) improves energy efficiency and stability during use. Certified by ETL Sanitation, cETLus, and NSF, this refrigerated prep table meets stringent industry standards for safety and hygiene. It comes with a 2-year manufacturer warranty for added protection.

CERTIFICATIONS



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	1/6 Size Pan Capacity	12 Pans
Access Type	Doors	Amps	4.3 ampere
Capacity	12 cubic feet	Casters	With Casters
Color	Silver	Compressor Location	Side Mounted
Compressor Style	Front Breathing	Cutting Board Depth	12 inch
Cutting Board Width	47.9 inch	Door Type	Solid
Number of Shelves	1 Shelf	Phase	1 Phase
Plug Type	NEMA 5-15P	Power Cord Length	9 foot
Refrigerant Capacity	3.17 oz	Refrigerant Type	R-290
Temperature Range	33°F to 41°F	Top Type	Standard Top



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Type	Sandwich and Salad Prep Table	Voltage	115 volt
Work Surface Height	36.2 inch	Hertz	60 hertz
Hinge Location	Left / Right	Horsepower	1/5 horsepower
Installation Type	Freestanding	Manufacturer	Medal Equipment
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Insulation Thickness	1/2 inch
Shelf Material	PE Coated Wire	Insulation Material	Polyethylene
Base Style	Refrigerated	Interior Material	Stainless Steel
Number of Casters	4 Casters	Caster Type	Swivel with Brakes
Caster Size	2.5 inch	Interior Depth	24.7 inch
Interior Height	24.2 inch	Interior Width	48.2 inch
Height with Casters	47.6 inch	Product Weight	223 pound
Product Width	48 inch	Product Depth	30 inch
Product Height	43 inch	Shipping Depth	31.5 inch
Shipping Height	47.3 inch	Shipping Weight	333 pound
Shipping Width	49.8 inch	Door Gasket	Magnetic Door Gasket
Undershelf Capacity	100 Lbs per Shelf	Condenser Coating	Copper
Evaporator	Copper	Defrost Type	Auto Defrost
Refrigerant Class	Hydrocarbon	Temperature Control	Dixell Electronic Thermostat
Temperature Display	Digital LED Display	Included	12 × 1/6 Size, 4" Deep, Clear Polycarbonate Pan
BTU/HR - Refrigerator	1365 BTU/Hr		

Medal Equipment 48" Sandwich / Salad Prep Table, 2 Doors, 12 Pans, Stainless Steel, 2 Year Warranty

Model: SWP12248



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

