



CoolEdge Series 29" Undercounter Freezer, 1 Solid Door, Stainless Steel (Model: CEUF29)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

Parts & Labor: 6
Month

Compressor: 6 Month

SPECIAL FEATURES

- Adjustable Shelf**
Includes one adjustable shelf for organized storage of frozen ingredients or supplies.
- Freezing System**
Bottom-mounted 1/3 HP compressor with 550 W power and R290 refrigerant maintains temperatures from 0°F to -8°F for commercial frozen storage.
- Digital Controls**
LED display with digital control type allows clear setting and monitoring of freezer temperature.
- Power Connection**
NEMA 5-15P plug with 9 ft cord provides standard electrical setup for commercial use.
- Certified Safety**
ETL Listed and ETL Sanitation Listed, meeting commercial safety and sanitation standards.
- Solid Door Access**
Swing-style solid door provides easy access while keeping items contained.
- Auto Defrost**
Built-in auto defrost reduces ice buildup and minimizes manual maintenance.
- Caster Mobility**
Four 4 in swivel casters with locks allow the unit to be moved and secured in place.
- Ambient Temperature Use**
Operates on 115 V, 60 Hz, single-phase power at 2.3 A, suitable for typical commercial kitchen environments.
- Warranty Coverage**
Includes 6 months parts and labor and 6 months compressor warranty.



PRODUCT OVERVIEW

The CoolEdge Series CEUF29 commercial undercounter freezer has a stainless steel exterior and recessed handle. Measuring 29.12 in (W) x 31.5 in (D) x 36 in (H), it includes one adjustable shelf inside and features a solid swing-style door for secure product access.

A bottom-mounted 1/3 HP compressor with 550 W power uses R290 refrigerant to maintain a temperature range of 0°F to -8°F. The unit operates on 115 V, 60 Hz, single-phase power at 2.3 A through a NEMA 5-15P plug with a 9 ft power cord. Auto defrost is included to reduce manual upkeep.

The freezer includes digital controls with an LED display for temperature management. Solid door design supports secure storage, while the undercounter structure allows placement in commercial kitchen spaces.

For mobility, the unit is equipped with four 4 in swivel casters with locks for secure placement. Certified ETL Listed and ETL Sanitation, it complies with commercial safety and sanitation standards. Warranty coverage includes 6 months parts and labor and 6 months compressor protection.

CERTIFICATIONS

ETL Listed

ETL Sanitation

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Access Type	Door
Amps	2.3 ampere	Casters	With Casters
Color	Silver	Door Style	Swing
Door Type	Solid	Number of Shelves	1 Shelf
Plug Type	NEMA 5-15P	Power Cord Length	9 foot
Refrigerant Capacity	R290	Temperature Range	0°F to -8°F
Type	Undercounter Freezer	Voltage	115 volt
Hertz	60 hertz	Horsepower	1/3 horsepower
Material	Stainless Steel	Selling Unit	1/Each
Defrost Type	Auto Defrost	Wattage	550 watt



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Caster Size	4 inch	Product Weight	158 pound
Product Width	29 inch	Product Depth	32 inch
Product Height	36 inch	Shipping Depth	33.12 inch
Shipping Height	39.38 inch	Shipping Weight	205 pound
Shipping Width	30.5 inch	Country of Origin	China
Series	CoolEdge Series	Shelf Type	Adjustable
Handle	Recessed	Casters Type	Swivel Locking Casters
Number of Casters	4 Casters	Control Type	Digital
Display	LED Display	Refrigerant Type	R-290
Hinge Location	Right		

CoolEdge Series 29" Undercounter Freezer, 1 Solid Door, Stainless Steel

Model: CEUF29