



Frigomax Series 24" Reach-In Ventilated Refrigerator, 1 Solid Door, 4 Shelves, White Coated Steel, 1 Year Warranty

(Model: FRVC24B)

★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Warranty



SPECIAL FEATURES

- Compact Kitchen Fit**
 At 23 3/8" wide and 26 1/8" deep, this reach-in refrigerator slots into tight back-of-house spaces where larger units cannot be accommodated.
- Precise Temperature Holding**
 Electronic temperature control maintains the interior between 33°F and 41°F, keeping food within the safe cold-holding range required in commercial kitchens.
- Dual Safety Certifications**
 ETL Listed and ETL Sanitation Listed certifications confirm the unit meets recognized electrical safety and food-zone sanitation standards for commercial food service use.
- Organized Cold Storage**
 Four epoxy-coated shelves allow kitchen staff to separate and rotate perishables efficiently within the 10.4 cu ft cabinet.
- Low Power Draw**
 Operating at 115V with a 1.5-ampere draw, this unit runs on a standard NEMA 5-15P outlet without requiring dedicated high-amperage electrical circuits.
- Covered Purchase**
 A 1-year warranty is included with each unit, providing a defined period of coverage for commercial kitchen operations after installation.



PRODUCT OVERVIEW

The Frigomax Series reach-in refrigerator is a single-door upright ventilated chiller designed for restaurants, cafés, and commercial kitchens that need reliable cold storage in a compact footprint.

With a 10.4 cubic foot interior and 4 epoxy-coated shelves, this unit provides organized storage for perishables across a range of food-handling environments. The electronic temperature control holds the cabinet between 33°F and 41°F, supporting safe food storage standards on a busy line.

The unit measures 26 1/8" (D) x 23 3/8" (W) x 74 1/8" (H), making it suitable for tight kitchen spaces where a full-size unit would not fit. The white coated steel exterior and solid swing door contribute to a clean, functional appearance in back-of-house areas.

Powered at 115V/60Hz, single phase, with a NEMA 5-15P plug, the refrigerator draws just 1.5 amperes and operates on a 1/5 HP compressor using R600a refrigerant — a lower global-warming-potential refrigerant increasingly specified in commercial kitchen equipment. The unit carries both ETL Listed and ETL Sanitation Listed certifications, and is backed by a 1-year warranty.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Amps	1.5 ampere
Capacity	10.4 cubic feet	Color	White
Door Type	Solid	Material	Coated Steel
Number of Shelves	4	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R-600a
Temperature Range	33°F to 41°F	Type	Upright Ventilated Chiller
Voltage	115 volt	Hertz	60 hertz
Horsepower	1/5 horsepower	Country of Origin	China
Selling Unit	1/Each	Shelf Coating Type	Epoxy
Temperature Control	Electronic	Series	Frigomax Series



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	23.38 inch	Product Depth	26.13 inch
Product Height	74.13 inch	Door Style	Swing

Frigomax Series 24" Reach-In Ventilated Refrigerator, 1 Solid Door, 4 Shelves, White Coated Steel, 1 Year Warranty

Model: FRVC24B



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

