TECHNICAL SPECIFICATION SHEET

IceVault Series 27" Glass Door Merchandiser Refrigerator, 13 Cu. Ft., 1 Swing Door, 1 Year Warranty

(Model: IVMR2713C)

★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 1 Year
Compressor: 1 Year

SPECIAL FEATURES

- **Durable Cabinet Build**
  Coated steel exterior with aluminum/stainless steel interior forms a sturdy structure for routine use.
- **Clear Product Viewing**
  Glass swing door allows customers to see items easily, ideal for glass door merchandiser displays.
- **Wide Temperature Range**
  -33°F to 40°F range supports refrigeration and frozen storage applications.
- **Bright Interior Lighting**
  LED lighting enhances visibility throughout the cabinet.
- **Warranty Coverage**
  1-year parts & labor, 1-year compressor warranty provides clear coverage.
- **Compact Display Size**
  Single-section, 1-door design fits smaller merchandising spaces efficiently.
- **Flexible Interior Layout**
  Four adjustable PVC-coated shelves support varied product arrangement.
- **Easy Repositioning**
  Four swivel casters allow smooth movement during setup or cleaning.
- **Standards Compliant**
  ETL Sanitation Listed and cETLus certified for commercial compliance.

PRODUCT OVERVIEW

The IceVault Series IVMR2713C merchandising refrigerator with 13 cu ft capacity is designed for retail, cafés, and small commercial spaces requiring efficient product display. Its coated steel exterior and aluminum/stainless steel interior provide a durable structure for daily use. The glass swing door with right-side hinge allows clear product visibility, making it an ideal glass door merchandiser for front-facing displays.

This commercial merchandiser freezer measures 79.4" (H) x 27" (W) x 25.8" (D), giving a compact footprint suitable for smaller aisles. Four adjustable PVC-coated shelves allow flexible product arrangement, while LED lighting enhances visibility throughout the cabinet. The self-closing door reduces open-door time, and a keyed lock allows controlled access.

Powered by a 1/3 HP compressor using R-290 refrigerant, the unit operates on 115 V, 3 A, 60 Hz, 1 Phase power with a NEMA 5-15P plug. Auto-defrost handles frost buildup, and electronic controls manage the -33°F to 40°F temperature range. Four swivel casters allow smooth repositioning during setup or cleaning. ETL Sanitation Listed and cETLus certified, this unit includes a 1-year parts and labor warranty plus a 1-year compressor warranty for defined commercial coverage.

null

CERTIFICATIONS

ETL Sanitation Listed

cETLus

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	**Access Type**	Doors
Amps	3 ampere	**Capacity**	13 cubic feet
Color	Black	**Compressor Location**	Bottom Mounted
Door Type	Glass	**Features**	Self-closing Door
Number of Shelves	4 Shelves	**Phase**	1 Phase
Plug Type	NEMA 5-15P	**Refrigerant Type**	R-290
Sections	1 Section	**Temperature Range**	-33°F to 40°F
Type	Merchandising Refrigerator	**Voltage**	115 volt
Hertz	60 hertz	**Hinge Location**	Right
Horsepower	1/3 horsepower	**Installation Type**	Freestanding

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Lighting	LED lighting
Shelf Material	PVC Coated	Defrost Type	Auto-defrost
Series	IceVault Series	Door Style	Swing
Product Weight	264 pound	Product Width	27 inch
Product Depth	26 inch	Product Height	79 inch
Shipping Depth	29.5 inch	Shipping Height	85.4 inch
Shipping Weight	298 pound	Shipping Width	31.7 inch
Lock Type	Keyed Lock	Exterior Finish	Black Finish
Shelf Type	Adjustable	Control Type	Electronic
Exterior Material	Aluminum Back Exterior		

© 2026, Horeca Store Inc. All rights reserved