



CoolEdge Series 73" Undercounter Refrigerator, 3 Solid Doors, Stainless Steel
(Model: CEUR73)

★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 6
Month

Compressor: 6 Month



SPECIAL FEATURES

- ✓ **Adjustable Shelves**
Includes three adjustable shelves for organized storage of ingredients or supplies.
- ✓ **Auto Defrost**
Built-in auto defrost reduces ice buildup and minimizes manual maintenance.
- ✓ **Caster Mobility**
Four 5 in swivel casters with locks allow the unit to be moved and secured in place.
- ✓ **Certified Safety**
ETL Listed and ETL Sanitation Listed, meeting commercial safety and sanitation standards.
- ✓ **Solid Door Access**
Swing-style solid doors allow access to interior storage while keeping items contained.
- ✓ **Digital Controls**
LED display with digital control type allows clear setting and monitoring of temperatures.
- ✓ **Power Connection**
NEMA 5-15P plug with 9 ft cord provides standard electrical setup for commercial use.
- ✓ **Warranty Coverage**
Includes 6 months parts and labor and 6 months compressor warranty.



PRODUCT OVERVIEW

The CoolEdge Series CEUR73 commercial undercounter refrigerator is a freestanding unit with a stainless steel exterior and recessed handles. Measuring 72.5 in (W) x 31.5 in (D) x 36 in (H), it includes three adjustable shelves inside and features solid swing-style doors for product access.

A bottom-mounted 1/3 HP compressor with 280 W power uses R290 refrigerant to maintain a temperature range of 33°F to 41°F. The unit operates on 115 V, 60 Hz, single-phase power at 3.4 A through a NEMA 5-15P plug with a 9 ft power cord. Auto defrost is included to reduce manual upkeep.

The refrigerator includes digital controls with an LED display for easy temperature management. Solid door design provides secure storage, while the undercounter structure allows placement in commercial kitchen spaces.

For mobility, the unit is equipped with four 5 in swivel casters with locks for secure placement. Certified ETL Listed and ETL Sanitation, it complies with commercial safety and sanitation standards. Warranty coverage includes 6 months parts and labor and 6 months compressor protection.

CERTIFICATIONS

ETL Listed

ETL Sanitation

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	3 Doors	Access Type	Door
Amps	3.4 ampere	Casters	With Casters
Color	Silver	Door Type	Solid
Number of Shelves	3 Shelves	Plug Type	NEMA 5-15P
Power Cord Length	9 foot	Refrigerant Type	R-290
Temperature Range	33°F to 41°F	Type	Undercounter Refrigerator
Voltage	115 volt	Hertz	60 hertz
Horsepower	1/3 horsepower	Country of Origin	China
Material	Stainless Steel	Selling Unit	1/Each
Number of Casters	4 Casters	Defrost Type	Auto Defrost



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Wattage	280 watt	Caster Size	5 inch
Product Weight	242 pound	Product Width	73 inch
Product Depth	32 inch	Product Height	36 inch
Shipping Depth	33.125 inch	Shipping Height	39.38 inch
Shipping Weight	367 pound	Shipping Width	73.88 inch
Series	CoolEdge Series	Shelf Type	Adjustable
Handle	Recessed	Casters Type	Swivel Locking Casters
Control Type	Digital	Display	LED Display
Compressor Location	Side Mounted	Compressor Style	Side / Rear Breathing
Hinge Location	Left / Right		

CoolEdge Series 73" Undercounter Refrigerator, 3 Solid Doors, Stainless Steel

Model: CEUR73



SALES & SUPPORT
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

