



ProKitchen Series 49" Ice Cream Dipping Cabinet Freezer with Flat Sneeze Guard, 8 Tubs Capacity, 1 Year Warranty
(Model: PKICDC49)



★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Parts & Labor
Warranty

SPECIAL FEATURES

- ✓ **Frozen Storage**
Temperature range of -15°F to 8°F supports storage of frozen desserts in commercial kitchen and dessert environments.
- ✓ **Mobile Base**
Four caster wheels, including two with brakes, support movement and positioning in commercial spaces.
- ✓ **R-290 Refrigerant**
R-290 hydrocarbon refrigerant is used in the cooling system.
- ✓ **Sliding Doors**
Two sliding glass doors provide access to stored ice cream tubs in foodservice operations.
- ✓ **Interior Lighting**
Interior LED lighting supports visibility of stored products in low-light conditions.
- ✓ **Certified Construction**
cETLus Listed, ETL Sanitation Listed, and UL & NSF compliance are included.



PRODUCT OVERVIEW

The ProKitchen Series Ice Cream Dipping Cabinet Freezer is designed for ice cream shops, dessert bars, cafeterias, and candy stores. It is constructed with powder coated steel in a white finish and measures 49.6" (W) x 28" (D) x 52" (H). The cabinet provides a total capacity of 13 cb3 and supports organized frozen dessert display and storage in commercial foodservice environments.

This dipping cabinet freezer features a temperature range of -15°F to 8°F with manual defrost and manual temperature control. It operates on 115 V, 1 phase, 60 Hz, and 270 W with 4 A current draw. The unit uses R-290 hydrocarbon refrigerant and a 2/5+ HP compressor system for refrigeration performance in commercial kitchen settings.

The freezer is designed with two sliding glass doors, a flat top style, and interior LED lighting for visibility of stored ice cream tubs. It supports a total container capacity of 8 tubs and is configured to hold up to (14) 10" x 10" 3-gallon ice cream tubs. The interior includes white precoated steel construction with 44" width and 21" depth.

This ProKitchen Series unit includes 4 casters with 2 brakes for mobility and positioning in foodservice areas. It features a rear drain plug, door lock system, and foamed-in-place polyurethane insulation for thermal retention. The cabinet includes shelves, tub holders, and a coated wire basket as part of the internal storage layout. It is cETLus Listed, ETL Sanitation Listed, and conforms to UL & NSF standards.

CERTIFICATIONS

cETLus Listed

ETL Sanitation Listed

Conforms to UL & NSF Standards

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Amps	4 ampere	Capacity	13 cubic feet
Color	White	Features	With Sneeze Guard, Storage Capacity: 6 (3 Gallon Tubs), Hold Up to (14) 10" x 10" 3-gallon Ice Cream Tubs
Phase	1 Phase	Plug Type	NEMA 5-15P
Power Cord Length	71 inch	Refrigerant Type	R-290
Temperature Range	-15°F to 8°F	Type	Ice Cream Dipping Cabinet Freezer
Voltage	115 volt	Hertz	60 hertz
Horsepower	2/5+ horsepower	Total Container Capacity	8 Tubs Capacity
Country of Origin	China	Material	Powder Coated Steel
Selling Unit	1/Each	Lighting	Interior LED Lighting
Number of Casters	4 Casters (2 with Brakes, 2 without Brakes)	Interior Material	White Precoated Steel



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Refrigerant Class	Hydrocarbon	Product Weight	196 pound
Product Width	49.6 inch	Product Depth	28 inch
Product Height	52 inch	Shipping Depth	30 inch
Shipping Height	44 inch	Shipping Weight	227 pound
Shipping Width	52.5 inch	Interior Depth	21 inch
Interior Height	25.5 inch	Interior Width	44 inch
Number of Doors	2 Doors	Temperature Control	Manual
Top Style	Flat	Series	ProKitchen Series
Defrost Type	Manual	Door Lock	Yes
Included	Shelves & Tub Holders, Coated Wire Basket Included	Wattage	270 watt
Casters	With Casters	Door Style	Glass
Door Type	Sliding	Insulation Material	Foamed-in-Place Polyurethane
Drain Type	Rear Drain Plug	Usage	Ice Cream Shops, Candy Stores, Dessert Bars & Cafeterias

ProKitchen Series 49" Ice Cream Dipping Cabinet Freezer with Flat Sneeze Guard, 8 Tubs Capacity, 1 Year Warranty

Model: PKICDC49



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

