



Platinum Frost Series 54" Commercial Reach In Freezer, 49 Cu.ft, 2 Door, 6 Shelves, Stainless Steel, -8°F to 0°F, 115v

(Model: PFRF54)



★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 2 Years
Compressor: 6 Years

SPECIAL FEATURES

- Spacious Storage Capacity**
 49 cubic feet of storage space with two solid swing doors provides ample room for commercial kitchen frozen inventory management.
- Premium Construction**
 Full stainless steel interior and exterior construction ensures durability and easy cleaning in demanding commercial environments.
- Energy Efficient**
 R-290 hydrocarbon refrigerant and DOE compliance deliver environmentally-friendly, cost-effective operation.
- Mobile Design**
 Four built-in casters allow convenient mobility for cleaning and kitchen layout flexibility.
- Simple Installation**
 115V operation with 6.6ft power cord and NEMA 5-15P plug enables quick setup in any commercial kitchen.
- Temperature Control**
 Electronic control panel maintains precise temperatures between -8°F to 0°F for optimal food preservation.
- Extended Warranty Protection**
 Comprehensive 2-year parts and labor warranty plus 6-year compressor coverage guarantees long-term performance.
- Easy Organization**
 Six epoxy-coated wire shelves and LED lighting enable efficient storage organization and clear visibility.
- Professional Certification**
 ETL Listed and ETL Sanitation Listed certifications ensure compliance with commercial food safety standards.
- Reliable Performance**
 3/4 HP bottom-mounted, self-contained refrigeration system delivers consistent cooling performance.



PRODUCT OVERVIEW

The 54.1" Reach-In Freezer is ideal for busy commercial kitchens needing dependable frozen storage. With a spacious 49 cubic feet capacity and two solid swing doors, it offers organized access to stored items. This freezer features a stainless steel interior and exterior, six epoxy-coated wire shelves, and bright LED lighting for easy visibility.

It runs on a 3/4 HP bottom-mounted, self-contained refrigeration system using R-290 hydrocarbon refrigerant. The temperature range is set between -8°F to 0°F and is managed through an electronic control panel. Built for freestanding installation, it includes four casters for mobility and door gaskets to ensure a tight seal.

Interior dimensions measure 50.4" W x 24.2" D x 59.65" H, and overall unit dimensions are 54.1" W x 32" D x 81.9" H. It operates on 115V, 60 Hz, 1 Phase with a 6.6 ft power cord and uses a NEMA 5-15P plug, drawing 5.6 amps.

It is ETL Listed, ETL Sanitation Listed, and DOE compliant. It's backed by a 2-year parts and labor warranty and a 6-year compressor warranty, making it a durable and efficient choice for any foodservice setup.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

DOE Compliant

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Power Cord Length	6.6 foot	Amps	5.6 ampere
Hertz	60 hertz	Phase	1 Phase
Voltage	115 volt	Horsepower	3/4 horsepower
Plug Type	NEMA 5-15P	Refrigerant Type	R-290
Temperature Range	-8°F to 0°F	Number of Doors	2 Doors
Access Type	Doors	Casters	With Casters
Color	Silver	Compressor Location	Bottom Mounted
Door Type	Solid	Features	Precision ventilated refrigeration system
Number of Shelves	6 Shelves	Sections	2 Sections
Shipping Weight	460 pound	Type	Reach-In Freezer
Hinge Location	Left / Right	Installation Type	Freestanding
Interior Depth	24.2 inch	Interior Height	59.65 inch
Interior Material	Stainless Steel	Interior Width	50.4 inch
Material	Stainless Steel	Selling Unit	1/Each
Shelf Material	Epoxy Coated Steel Wire	Lighting	LED lighting
Refrigerant Class	Hydrocarbon	Refrigeration Type	Self-contained



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Defrost Type	Auto Defrost	Temperature Control	Electronic Control
Capacity	49 cubic feet	Shipping Width	55.9 inch
Shipping Depth	33 inch	Shipping Height	84.6 inch
Product Width	54 inch	Product Depth	32 inch
Product Height	81.9 inch	Product Weight	414 pound
Series	Platinum Frost Series		