



ProKitchen Series 76" Open Air Merchandiser, Black, 220V, 1 Year Warranty
(Model: PKACM76-3)



★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 1 Year
Compressor: 5 Year

SPECIAL FEATURES

- ✓

Horizontal Display Layout

Horizontal structure with 4 adjustable steel shelves supports wide-format chilled merchandising in commercial kitchen and retail spaces.
- ✓

Digital Temperature System

Digital thermostat and temperature control maintain a range of 30.2°F to 44.6°F for chilled storage and display use.
- ✓

Certified Food Compliance

cETLus, ETL Sanitation, and NSF certifications align with commercial kitchen and food retail requirements.
- ✓

Dual Compressor Power

(2) 1 HP compressors support refrigeration load management for horizontal air curtain merchandiser operation.
- ✓

Steel Construction Design

Painted steel exterior and interior construction supports structured food display across 4 adjustable shelves.
- ✓

Warranty Coverage

It includes a 1-year warranty by the manufacturer and a 5-year compressor warranty for refrigeration components.



PRODUCT OVERVIEW

The ProKitchen Series Horizontal Air Curtain Merchandiser is designed for commercial kitchen and food retail environments such as supermarkets, bakery chains, and food service outlets requiring horizontal chilled display storage. It features a 33 cb3 capacity with a freestanding installation style supported by casters with 1.2 in caster size for placement flexibility in commercial kitchen layouts.

Constructed with painted steel exterior and painted steel interior, the unit measures 76.2" (W) x 31.5" (D) x 78.8" (H), supporting horizontal merchandising across 4 steel shelves. Each shelf is adjustable and includes shelf tag holders for structured product arrangement in food retail and commercial kitchen display operations.

The system operates on 220 V, 60 Hz, single phase power with 16.3 A current draw and (2) 1 HP compressors. It uses R-290 refrigerant with an air-cooled condenser and finned evaporator. Digital thermostat and digital temperature control maintain a temperature range of 30.2°F to 44.6°F for chilled display applications.

Foamed-in-place polyurethane insulation supports internal thermal retention. Additional features include automatic defrost, LED per shelf lighting, night curtain, and built-in condensation evaporating system. The unit operates within a maximum ambient temperature of 75°F and carries cETLus, ETL Sanitation, and NSF certifications. It includes a 1-year warranty by the manufacturer and a 5-year compressor warranty.

CERTIFICATIONS

cETLus

ETL Sanitation

NSF

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Amps	16.3 ampere	Capacity	33 cubic feet
Casters	With Casters	Color	Black
Number of Shelves	4 Shelves	Phase	1 Phase
Plug Type	NEMA 6-30P	Power Cord Length	45 inch
Refrigerant Type	R-290	Temperature Range	30.2°F to 44.6°F
Type	Horizontal Air Curtain Merchandiser	Voltage	220 volt
Hertz	60 hertz	Horsepower	(2) 1 horsepower
Installation Type	Freestanding	Interior Material	Painted Steel
Country of Origin	China	Material	Painted Steel
Selling Unit	1/Each	Product Weight	774 pound



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	76.2 inch	Product Depth	31.5 inch
Product Height	78.8 inch	Shipping Depth	33 inch
Shipping Height	84 inch	Shipping Weight	936 pound
Shipping Width	79 inch	Features	Night Curtain, LED Per Shelf, Shelf Tag Holder, Adjustable Leveling Feet, Finned Evaporator, Built-In Condensation Evaporating System
Series	ProKitchen Series	Caster Size	1.2 inch
Style	Horizontal	Lighting	LED
Temperature Control	Digital	Condenser Type	Air Cooled
Insulation	Foamed-In-Place Polyurethane	Defrost Type	Automatic
Cooling Type	Refrigerator	Shelf Type	Adjustable
Thermostat Type	Digital	Maximum Ambient Temperature	75 fahrenheit
Shelf Material	Steel	Number of Compressors	2 Compressors

ProKitchen Series 76" Open Air Merchandiser, Black, 220V, 1 Year Warranty

Model: PKACM76-3



SALES & SUPPORT
 (866) 446-7322

 Chat on WhatsApp

CONNECT WITH US



