



ChillCore Series 72" Undercounter Refrigerator, 3 Doors, 15.5 Cu. Ft., Stainless Steel

(Model: CDUR72)



★★★★★ (4.7/5)

Buy Now

WARRANTY
6 Month Warranty

SPECIAL FEATURES

- Large Storage Capacity**
 15.5 cu. ft. capacity with three adjustable PVC-coated wire shelves provides versatile storage
- Efficient Cooling**
 1/5 HP compressor with R-290 refrigerant (4.59 oz capacity) delivers dependable performance.
- Convenient Door Functionality**
 Three solid swing doors with self-closing and 90° stay-open features make loading and unloading effortless.
- Temperature Retention**
 Magnetic door gaskets offer a tight seal, maintaining internal temperature.
- Certified Safety**
 ETL and ETL Sanitation Listed, meeting strict safety and hygiene standards.
- Reliable Temperature Control**
 Electronic controls maintain a consistent 33°F to 41°F range to maintain food freshness.
- Low-Maintenance Operation**
 Auto defrost system keeps the unit running smoothly with minimal upkeep.
- Strong Build**
 Heavy-duty stainless steel construction with a sleek silver finish withstands daily commercial use.
- Enhanced Mobility**
 Four casters allow quick repositioning in busy kitchens.



PRODUCT OVERVIEW

The ChillCore Series CCUR72 Undercounter Refrigerator is a commercial-grade solution designed for commercial kitchens, restaurants, and catering services that need reliable cold storage. It is built from stainless steel with a sleek silver finish for long-lasting use. This model features three solid left/right-hinged swing doors with a self-closing mechanism and a 90° stay-open feature for easy loading and unloading.

With a generous 15.5 cu. ft. capacity and three adjustable PVC-coated wire shelves, it provides versatile storage for a variety of ingredients. This commercial undercounter refrigerator operates on 115 V, 60 Hz, 9 A, 1-phase power with a NEMA 5-15P plug for simple installation. Its 1/5 HP compressor uses R-290 refrigerant with a 4.59 oz capacity, delivering consistent cooling within a 33°F to 41°F temperature range.

The unit uses electronic controls that provide precise temperature management. An auto defrost system offers smooth operation with minimal maintenance. Measuring 72" W x 29.5" D x 35.2" H, this refrigerator comes with four casters for quick mobility. The magnetic door gaskets provide a secure seal to maintain temperature.

The ChillCore Series Undercounter Refrigerator is ETL Listed and ETL Sanitation Listed and carries a 6-month warranty.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	3 Doors	Access Type	Door
Amps	9 ampere	Capacity	15.5 cubic feet
Casters	With Casters	Color	Silver
Door Style	Swing	Door Type	Solid
Features	Self Closing Door, 90° Stay Open Feature.	Number of Shelves	3 Shelves
Phase	1 Phase	Plug Type	NEMA 5-15P
Refrigerant Type	R-290	Temperature Range	33°F to 41°F
Type	Undercounter Refrigerators	Voltage	115 volt
Hertz	60 hertz	Hinge Location	Left / Right
Horsepower	1/5 horsepower	Country of Origin	China



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Material	Stainless Steel	Selling Unit	1/Each
Number of Casters	4 Casters	Defrost Type	Auto Defrost
Product Weight	297 pound	Product Width	72 inch
Product Depth	29.5 inch	Product Height	35.2 inch
Shipping Depth	32 inch	Shipping Height	39 inch
Shipping Weight	398 pound	Shipping Width	74 inch
Door Gasket	Magnetic Door Gasket	Series	ChillCore Series
Shelf Type	Adjustable	Control Type	Electronic
Shelf Material	PVC Coated Wire	Refrigerant Capacity	4.59 oz
Compressor Location	Side Mounted	Compressor Style	Side / Rear Breathing

ChillCore Series 72" Undercounter Refrigerator, 3 Doors, 15.5 Cu. Ft., Stainless Steel

Model: CDUR72



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



