



PolarBox Series 8' x 17' Quick Ship Walk-In Cooler & Freezer Combo Box Only with Floor

(Model: PBCMB8X17)

★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

**10-Year Panel, 1 Year
Door Parts**



SPECIAL FEATURES

- Robust Build**
 24-gauge white galvanized steel panels for long-lasting durability in commercial environments.
- Stable Power Supply**
 Hardwired 208/230 V, 60 Hz, single-phase connection delivers consistent operation.
- Frost Prevention**
 Freezer section includes a heating wire and pressure relief vent to manage frost and pressure.
- Durable Flooring**
 Floor supports heavy loads and provides hygienic, easy-to-clean storage.
- Comprehensive Coverage**
 10-year panel warranty and 1-year door parts warranty offer long-term support.
- Advanced Insulation**
 4-inch polyurethane panels with R-28 cooler / R-33 freezer thermal resistance maintain precise temperatures and reduce energy loss.
- Secure Access**
 Two 77-inch solid swing doors with keyed locks, self-closing mechanisms, and flush-mounted design protect contents.
- Easy Installation**
 Modular cam-lock panels with tongue-and-groove design and CFC/HFC-free materials enable fast, eco-conscious assembly.
- Certified Quality**
 UL Listed US, NSF Listed, and DOE certified for safety, sanitation, and energy efficiency.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Freezer & Cooler Combo Box delivers organized cold storage for commercial kitchens with separate freezer and cooler sections. The freezer measures 79 inches and the cooler 118 inches, with overall dimensions of 17 ft (L) × 8 ft (W) × 7 ft (H), providing ample storage space. Made in America from 24-gauge white galvanized steel, it features 4-inch polyurethane insulation with R-28 (cooler) and R-33 (freezer).

The floor supports heavy loads and is easy to clean. Panels are modular with cam-lock and tongue-and-groove design, constructed from CFC/HFC-free materials for quick, eco-conscious assembly. Two 77-inch solid swing doors include keyed locks, self-closing mechanisms, and flush-mounted design. The freezer section has a heating wire and pressure relief vent to control frost and internal pressure.

The unit operates on hardwired 208/230 V, 60 Hz, single-phase power and maintains stable temperatures with an integrated condensing unit and evaporator. Certified by UL Listed US, NSF Listed, and DOE, this commercial Walk-In Freezer & Cooler Combo Box meets strict safety, sanitation, and energy efficiency standards. Warranty coverage includes 10 years for panels and 1 year for door parts.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Type	Walk-In Combination Freezer / Cooler Box	Product Width	98 inch
Product Depth	197 inch	Product Height	91 inch
Nominal Width	8 foot	Floor	With Floor
Door Type	Solid	Insulation Thickness	4 inch
Insulation Material	Polyurethane	Door Lock	Keyed Lock
Material	White Galvanized Steel	Country of Origin	Proudly Made in America
Selling Unit	1/Each	Door Style	Swing
Gauge	24 Gauge	Features	Self-Closing, Flush-Mounted Door, Heating Wire and Pressure Relief Vent for freezers Only
Door Height	77 inch	Thermal Resistance	R-28 Cooler / R-33 Freezer
Number of Doors	2 Doors	Cooler Section Length	118 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Freezer Section Length	79 inch	Nominal Height	7 foot
Panel Features	Modular Cam-Lock, Tongue & Groove Design, CFC & HFC Free Material	Series	PolarBox Series
Nominal Length	17 foot	Floor Material	Standard Galvanized Steel Floor
Usage	Indoor/Outdoor	Nominal Depth	17 ft