



CoolEdge Series 83" Reach-In Refrigerator, 65 Cu. Ft., 3 Solid Doors, Stainless Steel

(Model: CERR83)



★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 6
Month

Compressor: 6 Month

SPECIAL FEATURES

- ✓ **Large Capacity**
65 cubic feet with 12 adjustable shelves for maximum storage flexibility.
- ✓ **Efficient Doors**
3 solid swing doors with recessed handles and self-closing function.
- ✓ **Precise Cooling**
Digital control with LED display, 33°F to 41°F range.
- ✓ **Ready to Install**
Freestanding design with 9 ft cord and NEMA 5-20P plug type.
- ✓ **Warranty Protection**
6 months parts & labor, 6 months compressor.
- ✓ **Durable Construction**
Stainless steel interior and exterior in silver finish.
- ✓ **Bright Visibility**
LED interior lighting for easy product identification.
- ✓ **Powerful Cooling**
Bottom-mounted 1/2 HP compressor, 115 V, 60 Hz, 8.6 A, 760 W.
- ✓ **Certified Safe**
ETL Listed and ETL Sanitation approved.



PRODUCT OVERVIEW

The Reach-In Refrigerator CERR83 from the CoolEdge Series is a high-capacity cold storage solution designed for commercial kitchens. Built with a stainless steel interior and exterior in a silver finish, this refrigerator ensures durability, hygiene, and easy maintenance.

It provides a 65 cubic feet capacity with 3 solid swing doors featuring recessed handles and self-closing mechanisms. Inside, there are 12 adjustable shelves and LED lighting for clear visibility. The unit maintains a temperature range of 33°F to 41°F using a digital control system with LED display, and includes an auto defrost function.

The bottom-mounted 1/2 HP compressor runs on 115 V / 60 Hz / 8.6 A with 760 W power consumption, using R290 refrigerant for efficient cooling. It includes a 9 ft power cord and a NEMA 5-20P plug type. The refrigerator is designed to perform in environments up to a maximum ambient temperature of 100.4°F.

For mobility, it comes with 4 locking swivel casters (5 in size) and is intended for freestanding installation. The unit measures 82.62 in (W) x 32.62 in (D) x 83.5 in (H). Certified by ETL Listed and ETL Sanitation, the CERR83 meets safety and sanitation standards. Warranty coverage includes 6 months parts & labor, and 6 months compressor.

CERTIFICATIONS

ETL Listed

ETL Sanitation

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	3 Doors	Access Type	Doors
Amps	8.6 ampere	Capacity	65 cubic feet
Casters	With Casters	Color	Silver
Compressor Location	Bottom Mounted	Door Type	Solid
Features	Self-Closing Doors	Material	Stainless Steel
Number of Shelves	12 Shelves	Plug Type	NEMA 5-20P
Power Cord Length	9 foot	Refrigerant Type	R-290
Temperature Range	33°F to 41°F	Type	Reach-In Refrigerator
Voltage	115 volt	Wattage	760 watt
Hertz	60 hertz	Horsepower	1/2 horsepower



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Installation Type	Freestanding	Country of Origin	China
Selling Unit	1/Each	Number of Casters	4 Casters
Interior Material	Stainless Steel	Maximum Ambient Temperature	100.4 fahrenheit
Series	CoolEdge Series	Caster Size	5 inch
Product Weight	595 pound	Product Width	83 inch
Product Depth	33 inch	Product Height	84 inch
Shipping Depth	34.25 inch	Shipping Height	87.37 inch
Shipping Weight	790 pound	Shipping Width	84.2 inch
Lighting	LED lighting	Defrost Type	Auto Defrost
Shelf Type	Adjustable	Handle	Recessed
Casters Type	Locking Swivel Casters	Control Type	Digital Control
Display	LED Display	Hinge Location	Left / Right

CoolEdge Series 83" Reach-In Refrigerator, 65 Cu. Ft., 3 Solid Doors, Stainless Steel

Model: CERR83



SALES & SUPPORT
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

