2026

- IMMERSION BLENDERS & ACCESSORIES
- BLENDERS
- PLANETARY MIXER
- SALAD SPINNERS
- CITRUS JUICERS
- MANUAL DICER

DYNAMIC continues to set the standard in professional food preparation. Driven by innovation and built on decades of expertise, we're proud to present our latest generation of equipment — including the new **BlendPro3 Series, JuicePro Series and LT7 Planetary Mixer,** along with our expanded line of **immersion blenders, salad spinners, and the world's No. 1 manual dicer** — all engineered for performance, durability, and everyday efficiency.

Trusted by foodservice professionals worldwide, **Dynamic** delivers reliable tools that drive creativity, consistency, and excellence in every kitchen.

NEW

PASSION, COMMITMENT AND QUALITY PERSONIFIED

BLENDPRO3
HIGH PERFORMANCE BLENDER
BL003.1

BLENDPRO3SE
SHIELDED BLENDER
BL003.1SE

PAGE 18

EM25 SPINNER
ELECTRIC SALAD DRYER
E008.1

PAGE 21

JUICEPRO1&2
ORANGE JUICERS
JP001.1 / JP002.1

PAGE 22

LT7 MIXER
PM001.1

PAGE 19

COMPLETE YOUR DYNAMIC LINE UP !

- IMMERSION BLENDERS & ACCESSORIES 6
- BLENDERS 18
- PLANETARY MIXER 19
- SALAD SPINNERS 20
- CITRUS JUICERS 22
- MANUAL DICER 23

PASSION, COMMITMENT AND QUALITY PERSONIFIED SINCE 1964

Dynamic

TERMS AND CONDITIONS

PRICING. All prices are subject to change without notice. Prices do not include freight, handling or delivery charges, air shipment charges or taxes (sales, excise, duties, etc.). The Purchaser shall be responsible for collecting and/or paying any and all such taxes. Such charges may, at Dynamic's sole and exclusive discretion, be prepaid by Dynamic and reimbursed by the Purchaser.

APPLICABLE POLICIES FOR RESALE OF PRODUCTS. All product selling prices are determined at the discretion of authorized distributors with the exception of specific products determined by Dynamic to have Minimum Advertised Pricing («MAP»). Failure to comply with our MAP Policy may affect your status as an authorized distributor. Dynamic reserves the right to take the necessary steps in maintaining our integrity with regards to our pricing.

ORDERS. No minimum orders required. Each order must reference Dynamic's quote (if any), the requested Products, and any other information requested by Dynamic. All orders and transactions are subject to acceptance or cancellation by Dynamic, in Dynamic's sole discretion. Each accepted order will be interpreted as a single agreement, independent of any other orders. All orders must be sent by email at orders@dynamicmixers.com.

SHIPPING AND DELIVERY. Prepaid Freight qualifies at $3000 net (excluding PowerPro) on individual orders shipped to one location. Prepaid Freight Address exclusions are Hawaii, Alaska, Puerto Rico and Canada far North. Additional exclusions may apply. Orders not meeting Prepaid freight criteria are F.O.B. Memphis, TN USA or F.O.B. Montreal, QC. Canada. A fee may apply on 'Drop Ship' orders. Shipping specifics and delivery dates advised are estimates only and Dynamic is not responsible on variances. Dynamic reserves the right to refuse or cancel any order. On occasion, products contained in a single order may ship separately. Dynamic reserves the right to choose the carrier on specific orders. Freight charges are based on product weight & destination zip code or postal code. Product damage or loss incurred during shipment is the sole responsibility of the product purchaser. The purchaser must notify Dynamic regarding any product inconsistencies within 7 days of receipt of order including damages and shortages.

RETURNS. Returns cannot be accepted without a Return Authorization number issued by Dynamic and a return request must be submitted within seven (7) days of invoice date. Product returns must be in original packaging and unopened. Damaged and/or used Products will not be accepted. A 25% restocking charge will apply on all returns. Products deemed «Special Order» cannot be returned.

INVOICING AND PAYMENT. Dynamic may invoice parts of an order separately, or may invoice purchases of Products in one invoice. Invoices are due and payable within the time period noted on the Purchaser's invoice. All Products sold remain the exclusive property of Dynamic until invoice is paid in full.

WARRANTY. Dynamic will guarantee all new Products to be free from defects in materials and workmanship. Electric Products include a one (1) year parts and labor carry in bench warranty with the exception of component replacements necessary through regular "wear and tear". Manual Products include a one (1) year limited parts warranty. Warranty is valid, providing the Products have been used in accordance with Dynamic's operating recommendations and guidelines. Dynamic or any authorized service center will repair or replace, at Dynamic's discretion and after examination, any or all manufacturer's defective parts during the warranty period. Any damage caused by improper use, abuse, dropping, or similar accidental damage resulting in breakage will render the warranty null and void. During the warranty period, only Dynamic or one of its authorized service centers may perform evaluations or repairs to Products. Warranty will be void on any equipment which has been dismantled or tampered with during the warranty period if this has been done by unauthorized centers or personnel.

DISCLAIMER. Specifics contained herein with regards to Product text and/or Product images may change without notice.

IMMERSION BLENDERS & ACCESSORIES
MINI SERIES

1 GAL. 4 L

Variable speed

OFFERED IN 7 COLORS

MX070.11 MX070.12 MX070.13 MX070.14 MX070.15 MX070.16

MiniPro

Reference	**MX070.1**
Total length	**395 mm / 15.5"**
Mixer tool length	**160 mm / 6.5"**
Diameter	**70 mm / 2.8"**
Actual weight	**1.1 Kg / 2.5 lbs**
Shipping weight	**1.5 Kg / 3.2 lbs**
Output	**200 W**
Speed	**0 to 13 000 R.P.M.**

MiniPro comes with 4 blades :

Emulsifying 0550 | Standard 0551 | Batter Disc 0552 | Dairy Disc 0553

1 GAL. 4 L

Variable speed

MiniPro Blender

Reference	**MX069.1**
Total length	**395 mm / 15.5"**
Mixer tool length	**160 mm / 6.5"**
Diameter	**70 mm / 2.8"**
Actual weight	**1.1 Kg / 2.5 lbs**
Shipping weight	**1.5 Kg / 3.2 lbs**
Output	**200 W**
Speed	**0 to 13 000 R.P.M.**

1 GAL. 4 L

MiniPro Cordless

Reference	**MX135.1**
Total length	**450 mm / 17.7"**
Mixer tool length	**160 mm / 6.5"**
Diameter	**70 mm / 2.8"**
Actual weight	**1.1 Kg / 2.4 lbs**
Shipping weight	**1.9 Kg / 4.2 lbs**
Output	**2000 mAh - 12 Vdc**
Speed	**10 000 R.P.M.**

MiniPro Cordless comes complete with :
2 Batteries (AC585 - 20 minutes run-time)
1 Charger (AC590.1 - 45 minutes charge time / battery)

AC590.1

AC585

Variable speed

2 GAL. 8 L

Variable speed

MD95 / MD95E

Total length	**445 mm / 17.5"**
Mixer tool length	**160 mm / 6.5"**
Diameter	**72 mm / 3"**
Actual weight	**1.2 Kg / 2.6 lbs**
Shipping weight	**1.5 Kg / 3.3 lbs**
Output	**180 W**
Speed	**9 500 R.P.M.**

MD95 with variable speed

Reference	**MX010.1.V**
Speed	**0 to 9 500 R.P.M.**

MD95 (MX010.1)
with standard blade

MD95E (MX008.1)
with emulsifying blade

Emulsifying 9414

1 GAL. 4 L

Variable speed

Dynashake

Reference	**MX054.1**
Total length	**425 mm / 16.7"**
Mixer tool length	**190 mm / 7.5"**
Diameter	**95 mm / 3.8"**
Actual weight	**1.2 Kg / 2.7 lbs**
Shipping weight	**1.9 Kg / 4.2 lbs**
Output	**200 W**
Speed	**0 to 13 000 R.P.M.**

DynaShake comes complete with: 1 Dynashake mixer, 1 emulsifying blade, 1 standard blade, 1 batter blade, 1 dairy blade, 1 litre graduated cup + lid



AC520 - 160 mm / 6.5"
AC530 - 190 mm / 7.5"



AC516 - 185 mm / 7"

AC560 - 190 mm / 7.5"

AC517 - 125 mm / 5"

AC518

AC510

AC513

SM030

01 - MiniPro motor block

Reference	**AC515.1**
Total length	**205 mm / 8"**
Diameter	**70 mm / 2.8"**
Actual weight	**1 Kg / 2.1 lbs**
Shipping weight	**1.3 Kg / 2.8 lbs**
Output	**200 W**
Speed	**0 to 13 000 R.P.M.**

02 - MiniPro mixer tool with standard blade
03 - Dynashake mixer tool with standard blade
04 - MiniPro whisk tool
05 - MiniPro blender tool
06 - MiniPro ricer / food mill
07 - MiniPro food processor bowl
08 - Dynashake graduated cup with lid
09 - MiniPro stainless steel cup
10 - MiniPro stand

IMMERSION BLENDERS & ACCESSORIES
JUNIOR SERIES

3 GAL. 12 L

Option variable speed

1.25 GAL. 5 L

Variable speed

Ref. 089959
Wall support included

Junior Standard non-detachable

Reference	**MX020.1**
Total length	**505 mm / 20"**
Mixer tool length	**225 mm / 9"**
Diameter	**94 mm / 4"**
Actual weight	**1.7 Kg / 3.7 lbs**
Shipping weight	**2.0 Kg / 4.4 lbs**
Output	**250 W**
Speed	**9 500 R.P.M.**

Junior Whisk non-detachable

Reference	**FT005.1**
Total length	**500 mm / 20"**
Whisk length	**185 mm / 7"**
Diameter	**94 mm / 4"**
Actual weight	**1.4 Kg / 3 lbs**
Shipping weight	**1.7 Kg / 3.7 lbs**
Output	**200 W**
Speed	**0 to 2 000 R.P.M.**

Junior Standard non-detachable with variable speed

Reference	**MX020.1.V**
Speed	**0 to 9 500 R.P.M.**

Ref. 0880.1 Convenient and secure :
Wall storage bracket for mixer and accessories included with Junior Whisk and motor block.

Variable speed

AC101 - 225 mm / 9"

AC066 - 225 mm / 9"



AC102 - 185 mm / 7"

AC103 - 200 mm / 8"

AC104

01 - Junior motor block

Reference	**AC100.1**
Total length	**305 mm / 12"**
Diameter	**94 mm / 4"**
Actual weight	**1.9 Kg / 4 lbs**
Shipping weight	**2.3 Kg / 5 lbs**
Output	**250 W**
Speed	**0 to 9 500 R.P.M.**

01 - Junior motor block
02 - Junior mixer tool
03 - Junior blender tool
04 - Junior whisk tool
05 - Junior ricer / food mill
06 - Junior processor bowl

IMMERSION BLENDERS & ACCESSORIES
SENIOR SERIES

5 GAL.
20 L

Option variable speed

PMX98 Standard non-detachable

Reference	MX007.1
Total length	600 mm / 24"
Mixer tool length	300 mm / 12"
Diameter	97 mm / 4"
Actual weight	2.4 Kg / 5.3 lbs
Shipping weight	2.9 Kg / 6.4 lbs
Output	300 W
Speed	9 500 R.P.M.

PMX98 Standard non-detachable with variable speed

Reference	MX007.1.V
Speed	0 to 9 500 R.P.M.

Variable speed

01 - Senior motor block BM250

Reference	AC005.1
Total length	330 mm / 13"
Diameter	97 mm / 4"
Actual weight	2.0 Kg / 4.4 lbs
Shipping weight	3.1 Kg / 6.8 lbs
Output	300 W
Speed	0 to 9 500 R.P.M.

300 watts motor block can be used with the mixer tool and whisk attachment.

Included with Senior motor block

0880 Wall storage bracket for mixer and accessories

01 - Senior motor block
02 - Senior mixer tool M250
03 - Senior ricer / food mill
04 - Senior whisk F250

AC006 - 300 mm / 12"

AC004 - 420 mm / 16.5"



AC007 - 205 mm / 8"

Precise alignment of motor block and mixer tool requires only a 1/4 turn to secure.

Ejectable whisks for easy cleaning.

IMMERSION BLENDERS & ACCESSORIES
MASTER SERIES

15 GAL. 60 L

Option variable speed

410 mm / 16″

Ref. 0881
Wall support included

MX91 Classic non-detachable

Reference	MX005.1
Total length	715 mm / 28″
Mixer tool length	410 mm / 16″
Diameter	110 mm / 4.5″
Actual weight	3.4 Kg / 7.5 lbs
Shipping weight	3.8 Kg / 8.4 lbs
Output	460 W
Speed	9 500 R.P.M.

MX91 Classic non-detachable with variable speed

Reference	MX005.1.V
Speed	0 to 9 500 R.P.M.

Emulsifying blade
7910

15 GAL. 60 L

Option variable speed

410 mm / 16″

Ref. 0862
Wall support included

MX2000 non-detachable

Reference	MX004.1
Total length	720 mm / 28.5″
Mixer tool length	410 mm / 16″
Diameter	122 mm / 5″
Actual weight	3.5 Kg / 7.7 lbs
Shipping weight	4.1 Kg / 9 lbs
Output	460 W
Speed	9 500 R.P.M.

MX2000 non-detachable with variable speed

Reference	MX004.1.V
Speed	0 to 9 500 R.P.M.

Only available for the MX2000

Continuous function auto run button also allows to mix continuously by pulse.

Safety button

5 GAL. 20 L

Variable speed

245 mm / 10″

FT97 Master Whisk non-detachable

Reference	FT001.1
Total length	650 mm / 25.5″
Whisk tool length	245 mm / 10″
Diameter	110 mm / 4.5″
Actual weight	3.3 Kg / 7.3 lbs
Shipping weight	3.7 Kg / 8.1 lbs
Output	460 W
Speed	0 to 900 R.P.M.

Ejectable wisks for easy cleaning

Variable speed

1A Master motor block BM2000

Reference	AC001.1
Output	460 W

1B Master motor block BM3000

Reference	AC001.1.A
Output	550 W

Total length	350 mm / 13.8″
Diameter	122 mm / 4.8″
Actual weight	2.7 Kg / 6.0 lbs
Speed	0 to 9 500 R.P.M.

Included with Master motor blocks

SM020 Mixer weight support clamp

0880 Wall storage bracket for mixer and accessories

20 GAL. 75 L

02

AC002 - 410 mm / 16″

20 GAL. 75 L

03

AC500 - 457 mm / 18″

04

AC070 - 410 mm / 16″

5 GAL. 20 L

05

AC003 - 245 mm / 10″

30 KG 65 LBS

06

AC004 - 420 mm / 16.5″

1A - Master motor block BM2000
1B - Master motor block BM3000
02 - Master mixer tool M90
03 - Master mixer tool M100
04 - Master blender tool
05 - Master whisk tool F90
06 - Master ricer / food mill AP90

09 10 11 Master whip

Reference FM1	AC202
Length FM1	420 mm / 16.5″
Reference FM2	AC200
Length FM2	600 mm / 24″
Reference FM3	AC201
Length FM3	700 mm / 28″
Speed FM1-2-3	0 to 500 R.P.M.

All stainless steel, handle support included.

IMMERSION BLENDERS & ACCESSORIES
SMX SERIES

For all mixers:
Diameter 125 mm / 5″
Speed 11 000 R.P.M.

Ref. 0862
Wall support included



REFERENCE	REFERENCE	REFERENCE	REFERENCE	REFERENCE
MX041.1ES	MX042.1ES	MX043.1ES	MX044.1ES	MX002.1ES
TOTAL LENGTH	TOTAL LENGTH	TOTAL LENGTH	TOTAL LENGTH	TOTAL LENGTH
575 mm / 22″	626 mm / 24″	676 mm / 26″	728 mm / 28″	800 mm / 31.5″
ACTUAL WEIGHT	ACTUAL WEIGHT	ACTUAL WEIGHT	ACTUAL WEIGHT	ACTUAL WEIGHT
5.3 Kg / 11 lbs	5.5 Kg / 12 lbs	5.7 Kg / 12.6 lbs	5.9 Kg / 13 lbs	6.1 Kg / 13.4 lbs
SHIPPING WEIGHT	SHIPPING WEIGHT	SHIPPING WEIGHT	SHIPPING WEIGHT	SHIPPING WEIGHT
6.8 Kg / 15 lbs	7 Kg / 15.4 lbs	7.2 Kg / 16 lbs	7.4 Kg / 16.3 lbs	7.7 Kg / 17 lbs

SM020
Mixer weight support clamp included with SMX750ES / SMX850ES.



REFERENCE	REFERENCE
MX040.1ES	MX001.1ES
TOTAL LENGTH	TOTAL LENGTH
870 mm / 34″	950 mm / 37.5″
ACTUAL WEIGHT	ACTUAL WEIGHT
6.5 Kg / 14.3 lbs	6.7 Kg / 14.7 lbs
SHIPPING WEIGHT	SHIPPING WEIGHT
8 Kg / 17.6 lbs	8.2 Kg / 18 lbs

01 Top mounted support brackets

02 Side mounted support brackets



03 SM020

04 AC072T - 17″

05 AC075T - 24″

06 AC076T - 27″

01-Top mounted support brackets

	Dimension	Weight	CODE
SM4	400 mm / 16″	1.9 Kg / 4.2 lbs	SM001
SM6	600 mm / 24″	2.3 Kg / 5 lbs	SM002
SM8	800 mm / 32″	2.6 Kg / 5.7 lbs	SM003
SM10	1000 mm / 40″	2.8 Kg / 6.2 lbs	SM004
SM12	1200 mm / 48″	3.2 Kg / 7 lbs	SM005

02-Side mounted support brackets

	Weight	CODE
SA	0.7 Kg / 1.5 lbs	SM006

All brackets are easily dismantled and can be cleaned in the dishwasher. Adaptable only for Master and SMX series of mixers. Adjustable length. Practical and convenient, allows adjustable height and angle.

03-Mixer weight support clamp SM020

Mixer weight support clamp included with the Master detachable mixers, the SMX750ES and the SMX850ES.

04-SMX blender tool AC072T (only for SMX750ES and SMX850ES)

Total length	432 mm / 17″
Capacity	200 L

05-Mixer tool for SMX750ES AC075T

Total length	610 mm / 24″
Capacity	225 L

06-Mixer tool for SMX850ES AC076T

Total length	686 mm / 27″
Capacity	300 L

SUPPORT BRACKETS Used for weight assist and swivel, never leave mixer unattended.

IMMERSION BLENDERS & ACCESSORIES
POWER PRO MOBILE MIXER

REFERENCE
TB002
VOLTAGE
230V, 3 phase, 50/60Hz
SPEED
0 to 4000 R.P.M.





Whisk tool
Variable speed compulsory

Reference	TB014
Speed	2 800 – 4 000 R.P.M.
Speed 1	800 R.P.M.
Speed 2	1 600 R.P.M.
Diameter	170 mm / 6.5"
Height	470 mm / 18.5"

The whisk tool is ideal for delicate recipes and provides the ultimate in mixing flexibility.

Blender tool

Reference	TB004
Speed	2 800 to 4 000 R.P.M.
Diameter	100 mm / 3.8"
Height	90 mm / 3.5"

The blender tool is ideal for emulsifying soups and sauces.

Mixer tool

Reference	TB012
Speed	2 800 – 4 000 R.P.M.
Speed 1	800 R.P.M.
Speed 2	1 600 R.P.M.
Diameter	280 mm / 11"
Height	160 mm / 6.5"

The mixer tool is ideal for mixing large preparations like soups and sauces in less than 5 minutes.

Potato masher tool
Variable speed compulsory

Reference	TB013
Speed 1	800 R.P.M.
Speed 2	1 600 R.P.M.
Diameter	147 mm / 5.8"
Height	251 mm / 9.9"

The potato masher tool is designed for high volume purées that require 50 to 150 kg of potatoes.

Foot Extension

Reference	TB015
Speed	-
Diameter	-
Height	300 mm / 12"

Allows for additional foot depth for added mxing flexibility.

01 Dispenser pump

Reference	TB030 (TB004 required)
Speed	-
Diameter	178 mm / 7"
Height	90 mm / 3.5"

The pump has a 2.5 m (8'2") long rubber tube which allows for an effortless and fast transfer of food preparations. Tube diameter 19mm (3/4"). Adaptable on the blender tool only (sold separately).

02 Portion control gun

Reference	TB040 (TB030 required)
Speed	-
Length	202 mm / 8"
Height	243 mm / 9.6"

The gun can be used as a complimentary tool for the transfer of food preparations in smaller containers. Adaptable on the pump attachment only (sold separately).

FOOD & DRINK BLENDERS
BLENDPRO

NEW

BLENDPRO3
Capacity 68 Ounces (2 Liters)

Reference	BL003.1
Shipping weight	~ 10.5 lbs (4.8 kg)
Box dimensions (in)	16" X 8.5" X 9.25"
Box dimensions (cm)	41 X 22 X 24 cm
Cubic measure	1.6 ft3 / 0.05 m3
Voltage	115 V or 230 V

- *3 H.P.*
- *Light weight*
- *Front and back of the house*

BLENDPRO3SE
Capacity 68 Ounces (2 Liters)

Reference	BL003.1SE
Shipping weight	~ 15.5 lbs (7.03 kg)
Box dimensions (in)	10" X 10" X 19"
Box dimensions (cm)	25 X 25 X 48 cm
Cubic measure	1.9 ft3 / 0.05 m3
Voltage	115 V or 230 V

- *3 H.P.*
- *Light weight*
- *Front and back of the house*
- *Integrated sound enclosure with 80% noise reduction and convenient tool free removal*

Container only.
BL756DT - Capacity: 2L

Container only.
BL756CT - Capacity: 4L

Blend-in-cup travel bottle BL900

Blend-in-cup cutting base BL110

PLANETARY MIXER
LT7 MIXER

NEW

LT7
Capacity 7 Liters / 8 Quarts

Reference	PM001.1
Shipping weight	~ 65 lbs (29.5 kg)
Box dimensions (in)	20" x 11.5" x 18"
Box dimensions (cm)	51 x 30 x 46 cm
Cubic measure	~ 2.4 ft3 / 0.07 m3
Voltage	115 V or 230 V

Premium Touchscreen Interface

Includes Three Professional-Grade Attachments

Wire Whip

Flat Beater

Dough Hook

- *7L/8QT brushed stainless steel bowl w/handle*
- *Includes dough hook, batter beater and whip*
- *Removable polycarbonate safety guard*
- *11 mixing speeds and 30 minute timer with 30 second increments*
- *Electronic touch screen with intuitive timer and speed adjustments*
- *Advanced drive system allowing for quiet operation*
- *Adjustable head lift knob for easy control*
- *Integrated metal housing with no exposed screws*

SALAD SPINNERS
MANUAL

AC019

SSB1 Stabilizing base*

*** FOR SD92. SD92SC AND EM98**

TOTAL HEIGHT
170 mm / 6.7″
DIAMETER
360 mm / 14.2″

SD92 COMPLETE COVER

E002

SD92 Manual salad spinner

SD92SC COMPLETE SEALED COVER

E004

SD92SC Manual salad spinner SEALED COVER

E007

SD MINI Manual salad spinner sealed cover

1.25 GAL. 5 L

TOTAL HEIGHT
342 mm / 13.5″
DIAMETER
275 mm / 10.8″
ACTUAL WEIGHT
1.6 Kg / 3.5 lbs
SHIPPING WEIGHT
1.6 Kg / 3.5 lbs

Maximum
2 heads of lettuce

E001

SD99 Manual salad spinner

2.5 GAL. 10 L

TOTAL HEIGHT
460 mm / 18″
DIAMETER
330 mm / 13″
ACTUAL WEIGHT
2.4 Kg / 5.3 lbs
SHIPPING WEIGHT
3.1 Kg / 6.8 lbs

Maximum
4 heads of lettuce

SD92 COMPLETE COVER

E002.B

SD92 Manual salad spinner with stabilizing base

5 GAL. 20 L

TOTAL HEIGHT
530 mm / 21″
DIAMETER
430 mm / 17″
ACTUAL WEIGHT
3.6 Kg / 7.9 lbs
SHIPPING WEIGHT
4.8 Kg / 10.5 lbs

Maximum
8 heads of lettuce

SD92SC COMPLETE SEALED COVER

E004.B

SD92SC Manual salad spinner SEALED COVER with stabilizing base

5 GAL. 20 L

TOTAL HEIGHT
530 mm / 21″
DIAMETER
430 mm / 17″
ACTUAL WEIGHT
3.6 Kg / 7.9 lbs
SHIPPING WEIGHT
4.8 Kg / 10.5 lbs

Maximum
8 heads of lettuce

SALAD SPINNERS
ELECTRIC

WITH 1-MINUTE TOUCH BUTTON TIMER AND COMPLETE SEALED COVER

E003.1.B.T

EM98 Electric salad spinner with stabilizing base SSB1

5 GAL. 20 L

TOTAL HEIGHT
630 mm / 25″
DIAMETER
430 mm / 17″
ACTUAL WEIGHT
8.3 Kg / 18.3 lbs
SHIPPING WEIGHT
10 Kg / 22 lbs
OUTPUT
200 W
SPEED
500 R.P.M.

NEW

E008.1

EM25 Electric salad spinner

2.5 GAL. 10 L

TOTAL HEIGHT
460 mm / 18″
DIAMETER
330 mm / 13″
ACTUAL WEIGHT
2.4 Kg / 5.3 lbs
SHIPPING WEIGHT
3.1 Kg / 6.8 lbs
OUTPUT
200 W
SPEED
500 R.P.M.

CITRUS JUICERS
JUICEPRO / PA96

NEW

JUICEPRO1

Production: up to 12 oranges per minute

Reference	JP001.1
Shipping weight	~ 65 lbs (29.5 kg)
Net weight	~ 60 lbs (27 kg)
Box dimensions (in)	15" x 18" x 32"
Box dimensions (cm)	38 x 46 x 81 cm
Cubic measure	~ 5.0 ft^3 / 0.14 m^3
Voltage	115 V or 230 V

- ***Feeder capacity 3 oranges***
- ***Orange diameter max 75mm / 3 inches approx***

JUICEPRO2

Production: up to 25 oranges per minute

Reference	JP002.1
Shipping weight	~ 85 lbs (38.5 kg)
Net weight	~ 80 lbs (36.3 kg)
Box dimensions (in)	22" x 18" x 33"
Box dimensions (cm)	56 x 46 x 84 cm
Cubic measure	~ 7.5 ft^3 / 0.21 m^3
Voltage	115 V or 230 V

- ***Feeder capacity 6-7 oranges***
- ***Orange diameter max 85mm / 3 ¼ inches approx***

PA96

Production: up to 6 oranges per minute

(depending on fruit size and operator speed)

Reference	PA001.1
Total length	330 mm / 13"
Diameter	220 mm / 8.6"
Actual weight	6.3 Kg / 13.9 lbs
Voltage	115 V or 230 V
Output	200 W
Speed	1 500 R.P.M.

- ***2 juicing cones included***

MANUAL DICER
DYNACUBE

Grid set with pusher.
Cutting grid sizes are estimates only.



1

DYNACUBE

N°1 MANUAL DICER in the world !

Demo Video

Total height	330 mm / 13"
Diameter	400 mm / 15.8"
Actual weight	3.1 Kg / 6.8 lbs
Shipping weight	4.4 Kg / 9.7 lbs

- ***No direct contact with blades***
- ***6 cutting grid sizes available***
- ***Versatile***
- ***100% Product yield and consistent cuts***

1 Dynacube	+	2 AC065 - 5x5mm / 3/32" x 3/32"	=	CL007
1 Dynacube	+	3 AC062 - 10x10mm / 3/8" x 3/8"	=	CL006
1 Dynacube	+	4 AC061 - 8.5x,5mm / 1/4" x 1/4"	=	CL003
1 Dynacube	+	5 AC064 - 17x17mm / 3/4" x 3/4"	=	CL009
1 Dynacube	+	6 AC063 - 14x14mm / 1/2" x 1/2"	=	CL008
1 Dynacube	+	7 AC060 - 7x7mm / 1/8" x 1/8"	=	CL005

DYNAMIC USA
1320 ROUTE 9 #1352 CHAMPLAIN, NY - 12919
dynamicmixersusa.com

DYNAMIC CANADA
3227 BOUL. PITFIELD, MONTREAL, QUEBEC - H4S 1H3
dynamicmixers.ca

GENERAL
info@dynamicmixers.com

ORDERS
orders@dynamicmixers.com

CUSTOMER SERVICE
800.267.7794 / 514.956.0127

GROUPE NADIA