



## Frigomax Series 60" Undercounter Freezer, 2 Doors, Stainless Steel, 1 Year Warranty

(Model: FRUF60)

★★★★★ (4.7/5)

[Buy Now](#)

**WARRANTY**

**1 Year Warranty**



### SPECIAL FEATURES

- ✓ **Ample Frozen Storage**  
A 17 cubic foot interior gives commercial kitchens sufficient space for organized frozen food storage across two door sections.
- ✓ **EC Fan Motor**  
The evaporation fan stops operating when a door is opened and uses an EC fan motor, reducing unnecessary cycling during active kitchen use.
- ✓ **ETL Certified Unit**  
This undercounter freezer is both ETL Listed and ETL Sanitation Listed, meeting recognized electrical safety and food service sanitation requirements.
- ✓ **Self-Closing Doors**  
Self-closing doors with a 90-degree stay-open feature allow kitchen staff to load and retrieve items without holding the door manually.
- ✓ **Epoxy-Coated Shelving**  
Two epoxy-coated shelves provide a corrosion-resistant storage surface suited to the damp, cold conditions inside a commercial freezer.
- ✓ **Mobile with Brake**  
Heavy-duty casters with brakes allow the unit to be repositioned across the kitchen floor and locked in place once the desired location is reached.



## PRODUCT OVERVIEW

The Frigomax Series 60-inch Undercounter Freezer is a two-door solid-door freezer built for commercial kitchen operations where under-counter frozen storage is a priority. Suited for restaurants, cafes, and food service environments that require reliable below-counter freezing, this unit fits into tight kitchen layouts while maintaining a full 17 cubic feet of usable storage capacity.

Measuring 30" (L) x 60¼" (W) x 35 9/16" (H), the unit is constructed with stainless steel exteriors and interiors, offering a durable and hygienic surface suited to food handling environments. Two epoxy-coated shelves are included, providing sturdy, corrosion-resistant support for frozen goods. The freezer maintains a temperature range of 0°F to -8°F, controlled through an electronic temperature control system for consistent monitoring across service periods.

Both doors are self-closing and feature a 90-degree stay-open function, allowing kitchen staff to work hands-free when loading or retrieving items. The evaporation fan stops operating when a door is open, and the unit uses an EC fan motor — a design that reduces unnecessary energy cycling during access. Left and right hinge locations are available, accommodating different kitchen layouts and workflow directions.

Electrically, the Frigomax VUC60F operates on 115V/60Hz single-phase power, drawing 2.9 amperes, and connects via a NEMA 5-15P plug. The 1/3 horsepower compressor supports stable freezing performance. Heavy-duty casters with brakes allow the unit to be repositioned and secured as needed on commercial kitchen floors. The unit is ETL Listed and ETL Sanitation Listed, meeting recognized safety and sanitation standards for commercial food service use. A 1-year warranty is included with the unit.

## CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

## SPECIFICATION

| ATTRIBUTE           | VALUE                                                                                                             | ATTRIBUTE         | VALUE                |
|---------------------|-------------------------------------------------------------------------------------------------------------------|-------------------|----------------------|
| Number of Doors     | 2 Doors                                                                                                           | Amps              | 2.9 ampere           |
| Capacity            | 17 cubic feet                                                                                                     | Casters           | With Casters         |
| Color               | Silver                                                                                                            | Door Type         | Solid                |
| Features            | Self-Closing doors with 90 degree stay-open feature; Evaporation fan stop working when door is open, EC fan motor | Number of Shelves | 2                    |
| Phase               | 1 Phase                                                                                                           | Plug Type         | NEMA 5-15P           |
| Temperature Range   | 0°F to -8°F                                                                                                       | Type              | Undercounter Freezer |
| Voltage             | 115 volt                                                                                                          | Hertz             | 60 hertz             |
| Hinge Location      | Left / Right                                                                                                      | Horsepower        | 1/3 horsepower       |
| Material            | Stainless Steel                                                                                                   | Selling Unit      | 1/Each               |
| Temperature Control | Electronic                                                                                                        | Shelf Material    | Epoxy coated         |



SPECIFICATION

| ATTRIBUTE         | VALUE                          | ATTRIBUTE      | VALUE           |
|-------------------|--------------------------------|----------------|-----------------|
| Installation Type | Undercounter                   | Product Width  | 60.25 inch      |
| Product Depth     | 30 inch                        | Product Height | 35.56 inch      |
| Country of Origin | China                          | Series         | Frigomax Series |
| Casters Type      | Heavy-duty casters with brakes |                |                 |

Frigomax Series 60" Undercounter Freezer, 2 Doors, Stainless Steel, 1 Year Warranty

Model: FRUF60



SALES & SUPPORT  
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

