



Platinum Frost Series 72" Commercial Undercounter Refrigerator, 17.7 Cu.ft, 3 Door, Stainless Steel, 33°F to 41°F, 115v

(Model: PFUR72)

★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 2 Years
Compressor: 6 Years



SPECIAL FEATURES

- ✓ **Commercial Cold Storage**

Large 17.7 cubic feet capacity with three solid swing doors, perfect for commercial environments requiring efficient refrigeration and accessibility.
- ✓ **Precise Temperature Control**

Maintains precise temperature range between 33°F to 41°F, ideal for safe food storage and commercial requirements.
- ✓ **Easy Mobility**

Four pre-installed casters enable smooth movement and repositioning throughout commercial spaces.
- ✓ **Convenient Power Setup**

8-foot power cord with NEMA 5-15P plug offers flexible positioning and easy electrical connection.
- ✓ **Professional Design**

Stainless steel construction with silver finish delivers durability and professional appearance suitable for commercial environments.
- ✓ **Energy Star Certified**

ETL Listed and Energy Star certified unit ensures optimal energy efficiency while maintaining consistent cooling performance.
- ✓ **Extended Warranty Protection**

Comprehensive warranty coverage includes 2 years on parts and labor, plus 6 years on the compressor.
- ✓ **Flexible Installation**

Front/rear-breathing compressor system with R-290 refrigerant allows versatile placement options.
- ✓ **Maintenance-Free Operation**

Auto defrost feature eliminates manual defrosting maintenance, saving time and effort.



PRODUCT OVERVIEW

This Undercounter Refrigerator is a stainless steel unit finished in silver, designed for efficient cold storage in commercial settings. It offers a capacity of 17.7 cubic feet and features three solid swing doors with left and right hinge locations, along with three interior shelves.

The interior space measures 67.7 inches wide, 19.9 inches deep, and 24.8 inches high. This model operates within a temperature range of 33°F to 41°F and uses R-290 refrigerant in a rear-mounted, front/rear-breathing compressor system. It runs on 115 volts, 60 Hz, single-phase power, draws 7.5 amps, and consumes 215 watts.

The unit connects via a NEMA 5-15P plug and includes an 8-foot power cord. For added convenience, it features auto defrost and comes with four casters for mobility. Product dimensions are 72" W x 29.9" D x 35.2" H. Certified ETL Listed, ETL Sanitation, cETLus, and Energy Star, this refrigerator is sold as 1 each and includes a warranty of 2 years on parts and labor and 6 years on the compressor.

CERTIFICATIONS

ETL Listed

ETL Sanitation

cETLus

Energy Star

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Power Cord Length	8 foot	Amps	7.5 ampere
Voltage	115 volt	Refrigerant Type	R-290
Temperature Range	33°F to 41°F	Hertz	60 hertz
Phase	1 Phase	Number of Doors	3 Doors
Access Type	Door	Capacity	17.7 cubic feet
Casters	With Casters	Color	Silver
Compressor Location	Rear Mounted	Door Type	Solid
Number of Shelves	3 Shelves	Plug Type	NEMA 5-15P
Shipping Weight	348 pound	Type	Undercounter Refrigerator
Hinge Location	Left / Right	Interior Depth	19.9 inch
Interior Height	24.8 inch	Interior Width	67.7 inch
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Product Weight	320 pound
Installation Type	Undercounter	Number of Casters	4 Casters
Defrost Type	Auto Defrost	Wattage	215 watt
Shipping Width	74.2 inch	Shipping Depth	31.1 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Shipping Height	38.4 inch	Compressor Style	Front / Rear Breathing
Product Width	72 inch	Product Depth	29.9 inch
Product Height	35.2 inch	Series	Platinum Frost Series

Platinum Frost Series 72" Commercial Undercounter Refrigerator, 17.7 Cu.ft, 3 Door, Stainless Steel, 33°F to 41°F, 115v

Model: PFUR72