



Frigomax Series 24" Reach-In Ventilated Freezer, 1 Solid Door, 4 Shelves, White Coated Steel, 1 Year Warranty

(Model: FRVF24B)

★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Warranty



SPECIAL FEATURES

- Narrow Aisle Fit**
 At 23 3/8" wide, this reach-in freezer slots into compact back-of-house corridors where larger cabinets cannot be placed.
- Precise Temperature Holding**
 Electronic temperature control with a digital display maintains a -8°F to 0°F range, keeping frozen items at the correct storage temperature for food safety compliance.
- Dual ETL Certification**
 ETL Listed and ETL Sanitation Listed certifications indicate the unit meets established electrical safety and sanitation requirements recognized by health inspectors and facility managers.
- Organized Frozen Storage**
 Four adjustable epoxy-coated shelves let kitchen staff configure the 10.4 cu ft interior to accommodate different container sizes and frozen product depths.
- Standard Outlet Compatible**
 The NEMA 5-15P plug and 3.3-amp draw at 115V mean the freezer connects to a standard commercial kitchen circuit without requiring dedicated high-amperage wiring.
- Covered by Warranty**
 The included 1-year warranty provides a defined period of manufacturer coverage, giving buyers a clear support window after installation.



PRODUCT OVERVIEW

The Frigomax Series single-door reach-in freezer is a compact upright ventilated freezer designed for commercial kitchens, restaurants, and food service operations that need reliable below-zero frozen storage in a narrow footprint.

With a 10.4 cubic foot interior and four adjustable epoxy-coated shelves, the cabinet organizes a meaningful volume of frozen goods within a body measuring 26 1/8" (D) x 23 3/8" (W) x 74 1/8" (H) — a practical fit for tight back-of-house layouts. The right-hinged solid swing door includes a keyed lock, with locks and keys included at purchase.

Temperature is managed through an electronic control system with a digital display, holding a range of -8°F to 0°F. Ventilated refrigeration using R-290 refrigerant circulates cold air evenly across the stored load. The unit operates on a single-phase, 115V / 60Hz circuit, draws 3.3 amperes, and connects via a standard NEMA 5-15P plug — compatible with most commercial kitchen outlets without additional electrical work. The 1/3 horsepower compressor keeps operating costs measured.

The freezer carries ETL Listed and ETL Sanitation Listed certifications, confirming it meets recognized electrical safety and food-zone hygiene standards for commercial use. A 1-year warranty accompanies each unit.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Access Type	Door
Amps	3.3 ampere	Capacity	10.4 cubic feet
Door Type	Solid	Number of Shelves	4
Phase	1 Phase	Plug Type	NEMA 5-15P
Refrigerant Type	R-290	Sections	1 Section
Temperature Range	-8°F to 0°F	Type	Upright Ventilated Freezer
Voltage	115 volt	Hertz	60 hertz
Hinge Location	Right	Horsepower	1/3 horsepower
Material	Coated Steel	Selling Unit	1/Each
Shelf Material	Epoxy coated	Refrigeration Type	Ventilated



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Door Style	Swing	Temperature Control	Electronic
Product Width	23.38 inch	Product Depth	26.13 inch
Product Height	74.13 inch	Country of Origin	China
Lock Type	Keyed Door Lock	Series	Frigomax Series
Shelf Type	Adjustable	Dutch Half Doors	Without Dutch Half Doors
Display	Digital	Included	Locks and keys

Frigomax Series 24" Reach-In Ventilated Freezer, 1 Solid Door, 4 Shelves, White Coated Steel, 1 Year Warranty

Model: FRVF24B



SALES & SUPPORT
(866) 446-7322

