



Super Jolly Up

Touch control





Super Jolly Up

Designed for **small/medium** sized cafés looking for **quality, ease of use** and **consistency**. It is a streamlined version of the Super Jolly model, with a touch interface.

→ WHAT'S NEW

Twice as fast

Compared to the previous model (range: 4,0–5,2 g/s) thanks to its new bespoke high torque asynchronous motor.

Maximum Consistency

The new motor delivers enhanced performance while staying cool. Grind size stays consistent across all workloads, eliminating the need for adjustments.

OPTIONAL

Magnetic Dosing Cup

Super Jolly works with both the portafilter and the optional Dosing Cup (ø58 mm, 30 g capacity).



→ NEW BURRS

 **64 mm**
flat burrs

CHOOSE WHICH BURRS TO INSTALL ON YOUR GRINDER



STANDARD
205D

FLAVOR PROFILE: Classic, well-balanced cups with relevant body and chocolatey notes.

IDEAL FOR: medium to dark roasts and milk-based drinks.

MATERIAL: Bearing steel.



ZZ BURRS
ZZ k206P

FLAVOR PROFILE: Well-rounded cups with a complex structure of flavours, nice acidity, fruity notes, a soft, velvety texture, and light-medium body.

IDEAL FOR: light and medium roasts.

MATERIAL: Special steel ensures longer lifespan and ultra-precise machining for maximum consistency.

INNOVATIVE GEOMETRY: long-winded, continuous, sharp teeth which gradually refine the particle to the end.

→ FEATURE HIGHLIGHTS



TOUCH CONTROL

A bright, easy to understand touch control panel, with excellent touch detection and wide viewing angle



GFC

GRIND FLOW CONTROL SYSTEM

Achieve a uniform grind, reduce clumping and keep the counter free from coffee dust



FEATURES



Adjustable portafilter holder. Hands-free grinding with the portafilter activated grind button



GFC damper to customize grind flow, reduce clumping and keep the counter free from coffee dust (Hybrid and Antidust)



Stepless micrometrical grind adjustment



93% of the grinder is made from premium materials like stainless steel, aluminum, brass, and copper, making it durable, recyclable, and eco-friendly

ELECTRONIC FEATURES

- 19 languages
- Programmable single, double and triple dose buttons
- Total and partial dose counter
- Programmable pause in between grinding
- Ability to set up a maximum dose cap

TECH SPECS

POWER • 550 Watt

GRIND ADJUSTMENT • stepless micrometrical

GRIND SPEED • 1400 rpm (50 Hz) - 1600 rpm (60Hz)

BURRS • Ø 64 mm flat (2½ in) | 205D or ZZ k206P

BODY • aluminum die casting

HOPPER CAPACITY • 1.1 kg (2.4 lbs) or 280gr (0.62 lbs)

NET WEIGHT • 16.5 kg (36.3 lbs)

EQUIPMENT FEATURES • Tag holder, GFC Kit

OPTIONAL • Dosing Cup

COLORS



*On request with extra charge


CERTIFICATIONS



LEARN MORE



ESPRESSO



A	207 mm - 8¼ in	D	404 mm - 16 in
B	240 mm - 9½ in	H	601 mm - 23½ in
C	255 mm - 10 in	E	209 mm - 8¼ in



MAZZER LUIGI S.p.a.
Via Moglianese Gardigiano 113
30037 Scorzè (VE) - Italy
mazzer@mazzer.com
www.mazzer.com

DPSJUP0032026

The manufacturer reserves the right to change specifications without notice