



CoolEdge Series 28" Reach-In Refrigerator, 16 Cu. Ft., 1 Solid Door, Stainless Steel (Model: CERR28)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

Parts & Labor: 6
Month

Compressor: 6 Month

SPECIAL FEATURES

- Commercial Cold Storage**
 16 cubic feet capacity provides ample room for organizing perishable items in busy kitchens.
- Energy Efficient Design**
 Auto-defrost function reduces manual maintenance and helps maintain consistent cooling without extra effort.
- Easy Mobility**
 Locking swivel casters allow easy repositioning while securing the refrigerator in place.
- Warranty Protection**
 Comprehensive 6-month parts, labor, and compressor warranty provides confidence in long-term performance and reliability.
- Bright Interior Lighting**
 LED lighting ensures clear visibility of stored items even in low-light conditions.
- Precise Temperature Control**
 Digital control panel enables easy and accurate temperature settings between 33°F and 41°F for optimal food preservation.
- Sturdy Construction**
 Stainless steel body and interior ensure long-lasting durability and easy cleaning in commercial environments.
- Safety Certified**
 ETL Listed and ETL Sanitation certified, guaranteeing compliance with commercial safety and sanitation standards.
- Reliable Cooling System**
 Bottom-mounted compressor with R290 refrigerant delivers efficient and eco-friendly cooling performance.



PRODUCT OVERVIEW

The Reach-In Refrigerator CERR28 from the CoolEdge Series is built for commercial use, providing reliable cold storage for restaurants, cafés, and catering operations. With a 16 cubic feet capacity, this stainless steel (interior and exterior), silver-finished unit offers durability and easy cleaning.

It maintains a temperature range of 33°F to 41°F using a digital control with LED display. The refrigerator features auto defrost for low-maintenance operation. A solid swing door with a recessed handle and self-closing function ensures consistent cooling performance.

Inside, the refrigerator is equipped with 4 adjustable shelves and LED lighting for visibility. The bottom-mounted 1/5 HP compressor uses R290 refrigerant and runs on 115 V / 60 Hz / 3.1 A, consuming 260 W. The unit operates efficiently in environments up to 100.4°F maximum ambient temperature.

The refrigerator includes 4 locking swivel casters (5 in size) for easy mobility. It measures 27.5 in (W) x 32.62 in (D) x 83.5 in (H), with a 9 ft power cord and a NEMA 5-15P plug type. Certified by ETL Listed and ETL Sanitation, the CERR28 ensures compliance with safety and sanitation standards. The warranty covers 6 months parts & labor, and 6 months compressor.

CERTIFICATIONS

ETL Listed

ETL Sanitation

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Access Type	Doors
Amps	3.1 ampere	Capacity	16 cubic feet
Casters	With Casters	Color	Silver
Compressor Location	Bottom Mounted	Door Type	Solid
Features	Self-Closing Doors	Material	Stainless Steel
Number of Shelves	4 Shelves	Plug Type	NEMA 5-15P
Power Cord Length	9 foot	Refrigerant Type	R-290
Temperature Range	33°F to 41°F	Type	Reach-In Refrigerator
Voltage	115 volt	Wattage	260 watt
Hertz	60 hertz	Horsepower	1/5 horsepower



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Installation Type	Freestanding	Country of Origin	China
Selling Unit	1/Each	Number of Casters	4 Casters
Interior Material	Stainless Steel	Maximum Ambient Temperature	100.4 fahrenheit
Series	CoolEdge Series	Caster Size	5 inch
Product Weight	286 pound	Product Width	28 inch
Product Depth	33 inch	Product Height	84 inch
Shipping Depth	34.25 inch	Shipping Height	87.37 inch
Shipping Weight	343 pound	Shipping Width	29.12 inch
Lighting	LED lighting	Defrost Type	Auto Defrost
Shelf Type	Adjustable	Handle	Recessed
Casters Type	Locking Swivel Casters	Control Type	Digital Control
Display	LED Display	Hinge Location	Right

CoolEdge Series 28" Reach-In Refrigerator, 16 Cu. Ft., 1 Solid Door, Stainless Steel

Model: CERR28



SALES & SUPPORT
(866) 446-7322



CONNECT WITH US

