



PolarBox Series 6' x 25' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

(Model: PBCWF6X25-RM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

**10-Year Panel, 1-Year
Parts on Doors, 1-Year
Compressor & Parts on
Remote Refrigeration
Unit**

SPECIAL FEATURES

- Galvanized Steel Body**
 White galvanized steel construction at 24 gauge supports commercial kitchen cold storage structure.
- Polyurethane Insulation**
 4 in thick polyurethane insulation with R-28 thermal resistance supports controlled cold storage conditions.
- Valve Controlled Cooling**
 TXV/TEV valve and liquid line solenoid valve support refrigerant flow regulation within the system.
- Flush Mounted Access**
 Self-closing flush-mounted door design supports organized movement in storage environments.
- Certified Standards**
 UL Listed US, NSF Listed, and DOE certifications align with commercial kitchen compliance requirements.
- Extended Storage Space**
 Dimensions 295" (L) x 79" (W) x 87" (H) with nominal 25 ft depth support bulk refrigerated storage.
- Remote Refrigeration Setup**
 Remote refrigeration system separates condensing components from the enclosure structure.
- Single Swing Door**
 One solid swing door with 77 in height supports commercial kitchen food handling access.
- Keyed Lock Entry**
 Integrated keyed lock supports restricted access to refrigerated inventory and ingredients.
- Warranty Coverage**
 10-year panel, 1-year door parts, and 1-year compressor and remote refrigeration unit parts included.



PRODUCT OVERVIEW

The PolarBox Series walk-in cooler is a commercial refrigeration unit designed for indoor and outdoor cold storage use. Proudly Made in America, it is constructed with durable 24-gauge white galvanized steel for commercial food service environments. The enclosure features 4-inch polyurethane insulation with R-28 thermal resistance for reliable temperature control. Overall dimensions are 295" (L) x 79" (W) x 87" (H), with a nominal size of 25 ft depth and 7 ft height.

The unit is built with a modular cam-lock, tongue & groove hinge system that supports panel alignment during installation. A single solid swing door with 77 in height is integrated into the enclosure. The door features a self-closing flush-mounted design with keyed lock access for controlled entry in commercial kitchen storage areas. One-door configuration supports organized movement of food inventory and refrigerated supplies.

This walk-in cooler uses a remote refrigeration system that separates the cooling equipment from the enclosure. The refrigeration setup includes a thermostatic expansion valve and liquid line solenoid valve (TXV/TEV) for refrigerant flow control. A condensing unit and evaporator are included with the system. Electrical specification includes 208/230 V, 1 phase, 60 Hz with hardwired connection for fixed commercial installation.

The cooler includes a standard galvanized steel floor with with-floor construction for structural support. Certifications include UL Listed US, NSF Listed, and DOE compliance for commercial kitchen applications. It belongs to the PolarBox Series and is supplied as 1/Each. Warranty coverage includes 10-year panel, 1-year parts on doors, and 1-year compressor and parts on remote refrigeration unit.

CERTIFICATIONS

UI Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	79 inch	Product Depth	295 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	25 ft	Nominal Width	6 foot
Nominal Height	7 foot	Hertz	60 hertz
Phase	1 Phase	Voltage	208-230 volt
Door Style	Swing	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Door Lock	Keyed Lock
Material	White Galvanized Steel	Type	Walk-In Cooler
Floor	With Floor	Plug Type	Hardwired



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Refrigeration Type	Remote Refrigeration	Usage	Indoor / Outdoor
Country of Origin	Proudly Made in America	Selling Unit	1/Each
Gauge	24 Gauge	Thermal Resistance	R-28
Material Type	CFC & HFC Free	Features	Self-Closing, Flush-Mounted Door
Valve Type	Thermostatic Expansion, Liquid Line Solenoid Valve (TXV/TEV)	Number of Doors	1 Door
Included	Condensing Unit and Evaporator	Series	PolarBox Series
Floor Material	Standard Galvanized Steel Floor	Door Width	Choice of 30" or 36"
Compressor Location	Remote		

PolarBox Series 6' x 25' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

Model: PBCWF6X25-RM



SALES & SUPPORT
 (866) 446-7322

 Chat on WhatsApp

CONNECT WITH US



