



IceVault Series 60" Undercounter Refrigerator, 2 Doors, Stainless Steel, 1 Year Warranty
(Model: IVUR60)



★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 1 Year
Compressor: 1 Year

SPECIAL FEATURES

- ✓ **Spacious Capacity**
Provides 15 cu. ft. of storage capacity for a variety of products.

✓ **Consistent Cooling**
Maintains temperatures between 33°F to 40°F for fresh food preservation.

✓ **Safe Handling**
Recessed handles minimize accidental bumps.

✓ **Smooth Mobility**
Four heavy-duty casters with brakes for easy movement and stability.

✓ **Heavy-Duty Interior**
Stainless steel interior for hygienic and easy cleaning.
- ✓ **Durable Build**
Stainless steel construction with an aluminum back for added strength and longevity.

✓ **Convenient Access**
Two solid swing doors with a self-closing mechanism.

✓ **Flexible Storage**
Two PVC-coated adjustable shelves for organized placement.

✓ **Certified Compliance**
ETL Listed and ETL Sanitation Listed for commercial safety.



PRODUCT OVERVIEW

The IceVault Series IVUR60 commercial undercounter refrigerator with 15 cubic feet storage capacity is designed for restaurants, cafes, and catering kitchens requiring bulk cold storage. This product features 2 solid swing doors with self-closing operation and recessed handles, providing secure access.

This commercial refrigerator comes with 2 adjustable PVC-coated shelves, an interior made of stainless steel, and a stainless steel/aluminum exterior with silver finish for hygienic storage. It is equipped with 4 heavy-duty casters with brakes for mobility and stability. With NEMA 5-15P, the refrigerator operates on 115 V, 60 Hz single-phase power, drawing 2.6 A and running with a 1/3 HP compressor.

It uses R290 refrigerant to maintain temperatures between 33°F and 40°F. This commercial unit has ETL Listed and ETL Sanitation Listed certifications for compliance with commercial safety standards. This product has overall dimensions of 60.2 in (W) × 29.5 in (D) × 35.2 in (H) and is backed by a 1-year parts and labor warranty and a 1-year compressor warranty.

null

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	Access Type	Door
Amps	2.6 ampere	Capacity	15 cubic feet
Casters	With Casters	Color	Silver
Door Type	Solid	Features	Self-Closing Doors
Number of Shelves	2 Shelves	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R-290
Temperature Range	33°F to 40°F	Type	Undercounter Refrigerator
Voltage	115 volt	Hertz	60 hertz
Horsepower	1/3 horsepower	Country of Origin	China
Material	Stainless Steel / Aluminum	Selling Unit	1/Each



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Casters	4 Casters	Product Weight	253 pound
Product Width	60 inch	Product Depth	30 inch
Product Height	35 inch	Shipping Depth	32 inch
Shipping Height	39 inch	Shipping Weight	313 pound
Shipping Width	63 inch	Series	IceVault Series
Shelf Type	Adjustable	Handle	Recessed
Casters Type	Heavy-duty Casters with Brakes	Shelf Material	PVC Coated
Interior Material	Stainless Steel	Compressor Location	Side Mounted
Compressor Style	Side / Rear Breathing	Hinge Location	Left / Right