



PolarBox Series 10' x 10' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

(Model: PBWF10X10-RM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

**10-Year Panel, 1-Year
Parts on Doors, 1-Year
Compressor & Parts on
Remote Refrigeration
Unit**

SPECIAL FEATURES

- Consistent Cooling**
 4-inch CFC- and HFC-free polyurethane insulation with R-28 thermal resistance maintains stable internal temperatures.
- Secure Access**
 A 77-inch solid swing door with keyed lock and self-closing, flush-mounted design minimizes air loss and restricts unauthorized entry.
- Reliable Refrigeration**
 Includes a condensing unit and evaporator with thermostatic expansion and liquid line solenoid valves, providing consistent cooling performance.
- Flexible Placement**
 Suitable for indoor or outdoor use, adaptable to a range of commercial kitchen or storage environments.
- Comprehensive Warranty Coverage**
 10-year panel warranty, with 1-year coverage on doors, compressor, and refrigeration unit components.
- Durable Build**
 Constructed from 24-gauge white galvanized steel panels with an floor for long-lasting strength and heavy-duty support.
- Easy Setup**
 Modular cam-lock panels and tongue & groove hinges enable fast setup with precise alignment.
- Stable Power**
 Operates on 208/230 V, 60 Hz, single-phase hardwired connection for dependable electrical operation.
- Certified Safety**
 UL Listed, NSF Listed, and DOE compliant for commercial safety and energy standards.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Cooler is designed for commercial kitchens, catering, and foodservice operations, providing safe storage for perishable goods. Suitable for indoor and outdoor use, it offers flexible placement and reliable performance.

Made in America with 24-gauge white galvanized steel panels and an floor, the unit delivers long-term durability and stable support for heavy storage loads. Its 4-inch polyurethane insulation, free from CFC and HFC, provides R-28 thermal resistance for consistent internal temperatures.

A solid swing door, 77 inches in height, features a keyed lock and self-closing, flush-mounted design to minimize air loss and maintain secure access. The modular cam-lock panels and tongue & groove hinges allow straightforward assembly and precise alignment. Overall dimensions are 10 ft (W) × 10 ft (D) × 7 ft (H), offering ample space for storing large items and handling daily operational needs efficiently.

The cooler operates on 208/230 V, 60 Hz, single-phase power via a hardwired connection. It includes a condensing unit and evaporator with thermostatic expansion and liquid line solenoid valves for reliable cooling performance. Certified by UL, NSF, and DOE, it meets commercial safety and sanitation standards. The unit comes with a 10-year panel warranty and 1-year coverage for doors, compressor, and refrigeration components.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	118 inch	Product Depth	118 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	10 ft	Nominal Width	10 foot
Hertz	60 hertz	Phase	1 Phase
Voltage	208/230 volt	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Type	Walk-In Cooler	Floor	With Floor
Plug Type	Hardwired	Usage	Indoor/Outdoor
Country of Origin	Proudly Made in America	Selling Unit	1/Each



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Door Style	Swing	Gauge	24 Gauge
Thermal Resistance	R-28	Features	Self-Closing, Flush-Mounted Door
Valve Type	Thermostatic Expansion, Liquid Line Solenoid Valve (TXV/TEV)	Included	Condensing Unit and Evaporator
Number of Doors	1 Door	Nominal Height	7 foot
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Material Type	CFC & HFC Free
Series	PolarBox Series	Refrigeration Type	Remote Refrigeration
Floor Material	Standard Galvanized Steel Floor	Refrigerant Type	R-448A

PolarBox Series 10' x 10' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

Model: PBWF10X10-RM



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



