



IceVault Series 24" Back Bar Cooler, 1 Glass Door, 1 Year Warranty

(Model: IVBBG23)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

Parts & Labor: 1 Year

Compressor: 1 Year

SPECIAL FEATURES

- High Capacity**
 7.8 cu ft. capacity supports daily beverage stocking in a back bar refrigerator setup.
- Strong Interior Build**
 Stainless steel walls, floor, and ceiling promote durability in high-volume back bar use.
- Flexible Organization**
 Two adjustable heavy-duty PVC-coated shelves support bottle and can organization like a back bar fridge layout.
- Reliable Cooling**
 33°F to 40°F range supports beverage holding in bar coolers commercial operations.
- Warranty Support**
 1-year parts and labor plus 1-year compressor warranty direct from the manufacturer.
- Durable Exterior**
 Vinyl-coated steel finish maintains a clean look in bar coolers commercial space.
- Convenient Access**
 Right-hinged swing glass door back bar cooler design delivers quick visibility and access.
- Easy Movement**
 Swivel casters with brakes support cleaning access and repositioning.
- Efficient System**
 1/4 HP compressor with R-290 refrigerant provides cooling performance and lower impact.



PRODUCT OVERVIEW

The IceVault Series IVBBG23 Back Bar Refrigerator is a compact bar storage solution for restaurants, pubs, and lounges. The unit holds 7.8 cu ft. of beverages, supporting bottled and canned products in busy service setups. Its interior uses stainless steel walls, floor, and ceiling, and the exterior features a black vinyl-coated steel build for professional presentation in bar coolers commercial layouts.

The refrigerator measures 24" (W) x 30" (D) x 40" (H) for easy under-counter placement, keeping stock close to bartenders. The swing-style glass door back bar cooler design supports quick visual checks with LED lighting for product visibility. It includes two adjustable heavy-duty PVC-coated shelves, helping staff organize drinks across brands and sizes like a back bar fridge configuration.

It operates on 115 V, 1 phase, 60 Hz, and uses 1.92 A during service with a 1/4 HP compressor. The temperature range runs from 33°F to 40°F, supporting cold beverage holding in bar setups. The unit uses R-290 refrigerant, an auto-defrost system, and electronic controls. The NEMA 5-15P plug supports direct wall connection.

The model features a stainless steel countertop surface, swivel casters with brakes, and a keyed lock for product security in bar coolers commercial environments. It carries 1-year parts and labor plus 1-year compressor warranty coverage and is listed for ETL sanitation and cETLus standards, supporting commercial use.

CERTIFICATIONS

ETL Sanitation Listed

cETLus

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Access Type	Doors
Amps	1.92 ampere	Capacity	7.8 cubic feet
Countertop Type	Stainless Steel	Door Type	Glass
Features	Heavy duty Shelves	Material	Vinyl Coated Steel
Number of Shelves	2 Shelves	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R-290
Temperature Range	33°F to 40°F	Voltage	115 volt
Hertz	60 hertz	Hinge Location	Right
Horsepower	1/4 horsepower	Exterior Finish	Vinyl Coated Black Finish
Country of Origin	China	Color	Black & Silver



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Selling Unit	1/Each	Installation Type	Freestanding
Product Weight	132 pound	Product Width	24 inch
Product Depth	30 inch	Product Height	40 inch
Shipping Depth	32.2 inch	Shipping Height	45 inch
Shipping Weight	177 pound	Shipping Width	26 inch
Type	Back Bar Refrigerator	Series	IceVault Series
Shelf Material	PVC Coated	Defrost Type	Auto Defrost
Lighting	LED lighting	Casters	With Casters
Caster Type	Swivel With Brakes	Lock Type	Keyed Lock
Shelf Type	Adjustable	Control Type	Electronic
Interior Material	Stainless Steel	Number of Casters	4 Casters

IceVault Series 24" Back Bar Cooler, 1 Glass Door, 1 Year Warranty

Model: IVBBG23



SALES & SUPPORT
 (866) 446-7322

 Chat on WhatsApp

CONNECT WITH US



