



PolarBox Series 10' x 12' Quick Ship Floorless Walk-In Cooler with Top Mounted Refrigeration

(Model: PBNF10X12-TM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit

SPECIAL FEATURES

- Efficient Insulation**
 4-inch polyurethane panels with R-28 thermal resistance maintain stable interior temperatures.
- Certified Safety**
 UL Listed US, NSF Listed, and DOE certification ensures compliance with safety standards.
- Reliable Cooling**
 Top-mounted condensing unit and evaporator maintain consistent refrigeration.
- Secure Access**
 Solid swing door with keyed lock offers controlled entry and protects stored contents.
- Versatile Usage**
 Suitable for both indoor and outdoor environments to accommodate flexible placement.
- Eco-Friendly Panels**
 CFC & HFC-free modular cam-lock, tongue & groove panels reduce environmental impact.
- Comprehensive Warranty**
 10-year panel, 1-year door parts, 2-year compressor & parts, 1-year labor on refrigeration unit supports extended operation.



PRODUCT OVERVIEW

PolarBox Series Walk-In Cooler is a self-contained refrigeration unit ideal for commercial cold storage, suitable for restaurants, cafes, and catering operations. Constructed from 24-gauge white galvanized steel, it delivers durable structural integrity. Featuring 4-inch polyurethane insulation with R-28 thermal resistance, it maintains stable interior temperatures. Manufactured in America using CFC & HFC-free materials for safer storage.

The commercial walk-in cooler measures 10 ft (W) x 12 ft (D) x 7 ft (H) and a door height of 77 in. It operates on 1-phase, 208/230 V at 60 Hz and uses R-448A refrigerant. A top-mounted condensing unit and evaporator provide consistent cooling. The solid swing door with keyed lock and self-closing, flush-mounted design minimizes temperature fluctuations while securing contents efficiently.

Suitable for indoor and outdoor use, the PolarBox Series includes modular cam-lock, tongue & groove panels for easier assembly. UL Listed US, NSF Listed, and DOE certified, it meets safety and operational standards. It comes with a 10-year panel, 1-year door parts, 2-year compressor & parts, and 1-year labor warranty on the refrigeration unit, supporting long-term use.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	118 inch	Product Depth	138 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	12 ft	Nominal Width	10 foot
Hertz	60 hertz	Phase	1 Phase
Voltage	208/230 volt	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Type	Walk-In Cooler	Floor	Without Floor
Plug Type	Hardwired	Refrigerant Type	R-448A
Usage	Indoor/Outdoor	Country of Origin	Proudly Made in America



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Selling Unit	1/Each	Door Style	Swing
Gauge	24 Gauge	Thermal Resistance	R-28
Features	Self-Closing, Flush-Mounted Door	Included	Condensing Unit and Evaporator
Number of Doors	1 Door	Nominal Height	7 foot
Compressor Location	Top Mounted	Hinge Type	Modular Cam-Lock, Tongue & Groove Design
Refrigeration Type	Top Mounted Refrigeration	Material Type	CFC & HFC Free
Series	PolarBox Series		