



Frigomax Series 48" Mega Top Sandwich & Salad Prep Table, 2 Doors, 18 Pan, Stainless Steel, 1 Year Warranty

(Model: FRSP48M)

★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Warranty



SPECIAL FEATURES

- ✓ Mega Top Capacity**
 The mega top rail accommodates up to 18 one-sixth size pans, giving prep cooks immediate access to a wide variety of ingredients during service.
- ✓ Door-Open Fan Stop**
 The evaporation fan automatically stops working when a door is opened, helping preserve cold air inside the cabinet and supporting consistent temperature retention.
- ✓ Mobile with Brakes**
 Four heavy-duty casters with brakes allow the unit to be moved for cleaning or repositioning and then locked securely in place during food prep operations.
- ✓ Precise Temperature Control**
 Electronic controls maintain an internal temperature range of 33°F to 41°F, keeping refrigerated ingredients within safe holding temperatures throughout the day.
- ✓ ETL Certified Unit**
 This prep table carries both ETL Listed and ETL Sanitation Listed certifications, meeting recognized commercial kitchen safety and sanitation standards.
- ✓ Warranty Coverage**
 The Frigomax Series Mega Top Sandwich and Salad Prep Table is backed by a 1-year warranty, providing defined coverage for commercial kitchen operators.



PRODUCT OVERVIEW

The Frigomax Series Mega Top Sandwich and Salad Prep Table is designed for commercial kitchens and restaurants that require an organized, temperature-controlled prep station for sandwiches, salads, and cold ingredients. With a 13.8 cubic foot capacity and space for up to 18 one-sixth size pans along the mega top rail, this 2-door unit supports high-volume food handling during busy service periods.

This unit measures 34"L x 48 1/4"W x 42 5/8"H and runs on a single-phase 115V, 60Hz supply drawing 1.7A, with a NEMA 5-15P plug for standard kitchen outlets. A 1/5 HP compressor maintains 33°F–41°F for food-safe storage. Electronic controls enable precise temperature management, while the evaporation fan auto-stops when a door opens, preserving consistent cold air inside.

Constructed from stainless steel in a silver finish, the exterior is well-suited to the demands of a commercial kitchen environment. Inside, two adjustable, epoxy-coated shelves provide flexible storage configuration. The self-closing doors feature a 90-degree stay-open position, supporting hands-free loading and unloading during food prep. An EC fan motor contributes to efficient operation across service shifts.

The freestanding installation is supported by four heavy-duty casters with brakes, making repositioning straightforward while allowing the unit to be locked in place during use. Cutting boards and pans are available as optional accessories, allowing chefs to expand the prep surface as needed. The Frigomax Series Mega Top Sandwich and Salad Prep Table carries ETL Listed and ETL Sanitation Listed certifications, and is backed by a 1-year warranty.

CERTIFICATIONS

- ETL Listed
- ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	1/6 Size Pan Capacity	18 Pans
Access Type	Door	Amps	1.7 ampere
Capacity	13.8 cubic feet	Casters	With Casters
Color	Silver	Features	Cutting boards and pans available; Evaporation fan stop working when door is open; EC fan motor, Self-Closing with 90 degree stay-open
Number of Shelves	2	Phase	1 Phase
Plug Type	NEMA 5-15P	Temperature Range	33°F to 41°F
Top Type	Mega Top	Type	Mega top Sandwich/Salad Prep Table
Voltage	115 volt	Hertz	60 hertz
Horsepower	1/5 horsepower	Installation Type	Freestanding
Country of Origin	China	Material	Stainless Steel



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Selling Unit	1/Each	Shelf Material	Epoxy Coated
Number of Casters	4 Casters	Caster Type	Heavy-duty casters with brakes
Product Width	48.25 inch	Product Depth	34 inch
Product Height	42.63 inch	Series	Frigomax Series
Shelf Type	Adjustable	Control Type	Electronic

Frigomax Series 48" Mega Top Sandwich & Salad Prep Table, 2 Doors, 18 Pan, Stainless Steel, 1 Year Warranty

Model: FRSP48M



SALES & SUPPORT
(866) 446-7322



Chat on WhatsApp

CONNECT WITH US

