



PolarBox Series 8' x 15' Walk-In Freezer with Remote Refrigeration, Floorless

(Model: PBFWF8X15-RM)



★★★★★ (4.7/5)

Buy Now

WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit

SPECIAL FEATURES

- ✓ **Robust Build**
24-gauge white galvanized steel panels offer long-lasting durability and corrosion resistance.
- ✓ **Stable Power Supply**
208/230 V, 60 Hz, 1-phase hardwired connection provides stable operation.
- ✓ **Superior Insulation**
4-inch polyurethane with R-28 rating maintains freezing temperatures efficiently.
- ✓ **Secure Access**
Solid swing door with keyed lock and flush-mounted design prevents cold air loss.
- ✓ **Easy Installation**
Modular cam-lock panels with tongue-and-groove edges allow precise, quick setup.
- ✓ **Eco-Friendly Materials**
CFC- and HFC-free materials reduce environmental impact.
- ✓ **Reliable Cooling Components**
Self-contained unit with condensing unit, evaporator, and TXV/TEV valves provides uniform freezing.
- ✓ **Certified Safety Standards**
UL, NSF, and DOE certified for hygiene, performance, and efficiency.
- ✓ **Comprehensive Warranty**
10-year panels, 2-year compressor, 1-year door parts, and 1-year labor coverage.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Freezer is designed for commercial kitchens and cafes that need dependable frozen storage. Made in America, it features a white galvanized steel exterior with 24-gauge panels. The unit measures 8 ft (W) × 15 ft (D) × 7 ft (H), providing ample space for organized storage in indoor or outdoor settings.

The solid swing door stands 77 inches tall and includes self-closing and flush-mounted functionality to support proper internal temperature control. A keyed lock secures the door, while the heating wire and pressure relief vent help maintain consistent airflow. The hinge uses a modular cam-lock and tongue & groove design for precise panel alignment.

This commercial walk-in freezer is insulated with 4-inch polyurethane rated R-28 for strong thermal performance. It operates on 1 phase, 208/230 V, and 60 Hz with a hardwired connection. Thermostatic expansion and liquid line solenoid valves (TXV/TEV) regulate the refrigeration system, and all panels use CFC- & HFC-free materials for eco-conscious operation.

The unit includes a condensing unit and evaporator for consistent cooling. It is UL listed in the US, NSF listed, and DOE certified. Warranty coverage consists of 10 years on panels, 1 year on door parts, 2 years on the compressor and parts, and 1 year of labor on the refrigeration unit.

CERTIFICATIONS

No certifications

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Phase	1 Phase	Door Type	Solid
Insulation Material	Polyurethane	Door Lock	Keyed Lock
Material	White Galvanized Steel	Plug Type	Hardwired
Usage	Indoor/Outdoor	Type	Walk-In Freezer
Product Width	98 inch	Product Depth	118 inch
Product Height	91 inch	Hertz	60 hertz
Voltage	208/230 volt	Insulation Thickness	4 inch
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Country of Origin	Proudly Made in America
Selling Unit	1/Each	Nominal Depth	15 ft
Nominal Width	8 foot	Nominal Height	7 foot



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Door Height	77 inch	Floor	Without Floor
Included	Condensing Unit and Evaporator	Gauge	24 Gauge
Thermal Resistance	R-28	Material Type	CFC & HFC Free
Refrigeration Type	Remote Refrigeration	Features	Self-Closing, Flush-Mounted Door, Heating Wire and Pressure Relief Vent
Valve Type	Thermostatic Expansion, Liquid Line Solenoid Valve (TXV/TEV)	Number of Doors	1 Door
Series	PolarBox Series	Refrigerant Type	R-448A
Door Style	Swing		

PolarBox Series 8' x 15' Walk-In Freezer with Remote Refrigeration, Floorless

Model: PBFWF8X15-RM



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



