



Platinum Frost Series 82" Commercial Reach In Refrigerator, 72 Cu.ft, 3 Door, 9 Shelves, Stainless Steel, 33°F to 40°F, 115v

(Model: PFRR82)

★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 2 Year
Compressor: 6 Year



SPECIAL FEATURES

- ✓ **Massive Storage Capacity**
Spacious 72 cubic feet interior with three solid swing doors and 9 plastic-coated shelves, perfect for high-volume commercial kitchen storage needs.

✓ **Extended Warranty Protection**
Comprehensive 2-year parts and labor warranty, plus extended 6-year compressor warranty for long-term reliability and peace of mind.

✓ **Enhanced Security Features**
Keyed door lock system and magnetic door gaskets provide secure storage and maintain consistent temperature seal.

✓ **Durable Construction**
Premium stainless steel construction ensures long-lasting durability and professional appearance in commercial settings.

✓ **Optimized Cooling System**
Bottom-mounted refrigeration unit design maximizes interior storage space while maintaining efficient cooling performance.
- ✓ **Precise Temperature Control**
Digital temperature control system maintains consistent cooling between 36°F to 40°F, powered by efficient 1/3 HP R-290 refrigeration system.

✓ **Professional Safety Standards**
ETL Sanitation and cETLus listed certifications ensure compliance with highest commercial kitchen safety and hygiene requirements.

✓ **Easy Mobility Solution**
Six 4-inch swivel casters with brakes allow smooth movement and stable positioning in busy kitchen environments.

✓ **Simple Power Requirements**
Standard 115V power operation with 6.6 ft cord and NEMA 5-15P plug enables easy installation in most commercial spaces.



PRODUCT OVERVIEW

The 81.5" Reach-In Refrigerator is ideal for high-volume commercial kitchens, offering a spacious 72 cubic feet capacity across three solid swing doors. Made of durable stainless steel, it features a bottom-mounted 1/3 HP R-290 refrigeration system that maintains a consistent temperature range of 36°F to 40°F.

Inside, you'll find 9 plastic-coated shelves, magnetic door gaskets, and interior dimensions of 77.6" W x 24.2" D x 59.7" H. It operates on 115V, 60 Hz, 1 phase, using a 6.6 ft power cord and a NEMA 5-15P plug, drawing 3 amps. The digital temperature control ensures precise cooling, and the unit includes a keyed door lock for added security.

Exterior dimensions are 81.5" W x 30.7" D x 81.9" H. It comes on six swivel casters with brakes (4" size) for mobility. This Energy Star certified unit is also ETL Sanitation and cETLus listed and includes a 2-year parts and labor warranty with a 6-year compressor warranty.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

Energy Star

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	3 Doors	Access Type	Doors
Amps	3 ampere	Capacity	72 cubic feet
Casters	With Casters	Compressor Location	Bottom Mounted
Door Type	Solid	Dutch Half Doors	Without Dutch Half Doors
Material	Stainless Steel	Number of Shelves	9 Shelves
Phase	1 Phase	Plug Type	NEMA 5-15P
Power Cord Length	6.6 foot	Refrigerant Type	R-290
Sections	2 Sections	Shipping Weight	516 pound
Temperature Range	36°F to 40°F	Type	Reach-In Refrigerator
Voltage	115 volt	Hertz	60 hertz
Hinge Location	Left / Right	Horsepower	1/3 horsepower
Installation Type	Freestanding	Interior Depth	24.2 inch
Interior Height	59.7 inch	Interior Width	77.6 inch
Selling Unit	1/Each	Shelf Coating Type	Plastic Coated
Door Gasket	Magnetic Door Gasket	Lock Type	Keyed Door Lock
Number of Casters	6 Casters	Caster Size	4 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Caster Type	Swivel with brake	Shipping Height	85.8 inch
Shipping Width	83.7 inch	Shipping Depth	33.5 inch
Temperature Control	Digital	Country of Origin	China
Color	Silver	Product Weight	444 pound
Product Width	82 inch	Product Depth	30.7 inch
Product Height	81.9 inch	Series	Platinum Frost Series

Platinum Frost Series 82" Commercial Reach In Refrigerator, 72 Cu.ft, 3 Door, 9 Shelves, Stainless Steel, 33°F to 40°F, 115v

Model: PFRR82



SALES & SUPPORT
(866) 446-7322

