



ChillCore Series 24.3" Kegerator / Beer Dispenser, (1) 1/2 Keg Capacity
(Model: CDBD24)



★★★★★ (4.7/5)

Buy Now

WARRANTY
6 Month Warranty

SPECIAL FEATURES

- ✓ **Flexible Beer Storage**
5.8 cu. ft. capacity accommodates one 1/2 barrel keg, providing reliable storage for draft beer.

✓ **Precise Temperature Control**
Digital control system maintains a wide 32°F to 75°F range for serving beer at ideal temperature.

✓ **High-Quality Build**
Powder-coated steel exterior with ABS interior offers long-lasting durability.

✓ **Easy Mobility**
Four casters allow effortless movement and repositioning.
- ✓ **Dual Tap Convenience**
Two taps allow serving multiple beers simultaneously for faster service.

✓ **Low-Maintenance Operation**
Auto defrost system reduces manual upkeep, keeping operations smooth.

✓ **Space-Efficient Design**
Compact design with narrow depth offers space efficiency.

✓ **Simple Power Connection**
115 V, 60 Hz, 1-phase power with NEMA 5-15P plug enables quick installation.



PRODUCT OVERVIEW

The ChillCore Series CCBD24 Kegerator / Beer Dispenser is a reliable solution for bars, restaurants, and event venues that need reliable draft beer service. Built from powder-coated steel in a sleek black finish, this freestanding unit combines strength with an elegant look. It has a 5.8 cu. ft. capacity and the capacity to hold one 1/2 barrel keg for efficient storage. Its solid swing door design with an ABS interior provides long-lasting performance.

The two taps allow operators to serve multiple brews at once. This commercial beer dispenser runs on 115 V, 60 Hz, 1-phase power and connects easily with a NEMA 5-15P plug. It operates at 1.2 A with R-600a refrigerant (0.99 oz capacity), maintaining a wide temperature range of 32°F to 75°F to suit different beverage needs. The digital control system offers accurate temperature adjustments.

The auto defrost function minimizes maintenance needs. This kegerator measures 24.3" W x 24" D x 35" H, making it compact enough for limited service areas. Four casters provide easy mobility, allowing staff to reposition the unit as needed. Its narrow depth design enhances placement flexibility. This beer dispenser is CSA (C US) approved and backed by a 6-month warranty.

CERTIFICATIONS

CSA (C US) Approved

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Amps	1.2 ampere
Capacity	5.8 cubic feet	Door Type	Solid
Number of Taps	2 Taps	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R-600A
Temperature Range	32°F to 75°F	Voltage	115 volt
Hertz	60 hertz	Country of Origin	China
Material	Black Powder Coated Steel	Color	Black
Selling Unit	1/Each	Installation Type	Freestanding
Refrigerant Capacity	0.99 oz	Casters	With Casters
Number of Casters	4 Casters	Product Weight	109.13 pound



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	24.3 inch	Product Depth	24 inch
Product Height	35 inch	Shipping Depth	31 inch
Shipping Height	45 inch	Shipping Weight	133 pound
Shipping Width	34 inch	Type	Kegerator / Beer Dispenser
Access Type	Door	Defrost Type	Auto Defrost
Nominal Depth	Narrow	Style	1/2 Barrel
Number of Kegs	1 Keg	Control Type	Digital
Interior Material	ABS Interior	Series	ChillCore Series