



PolarBox Series 12' x 15' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

(Model: PBCWF12X15-RM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

**10-Year Panel, 1-Year
Parts on Doors, 1-Year
Compressor & Parts on
Remote Refrigeration
Unit**

SPECIAL FEATURES

- Remote Refrigeration**
 The remote refrigeration system is designed for commercial kitchen refrigerated storage applications.
- Solid Swing Door**
 The solid swing door includes self-closing and flush-mounted features for restaurant cold storage access.
- Galvanized Steel Panels**
 The white galvanized steel construction with 24-gauge panels is suited for walk-in cooler installations.
- Included Components**
 The walk-in cooler includes both a condensing unit and evaporator for refrigeration setup.
- Certified Construction**
 UL Listed US, NSF Listed, and DOE certifications are included for commercial refrigeration use.
- Polyurethane Insulation**
 The polyurethane insulation with 4" thickness and R-28 thermal resistance supports temperature-controlled storage areas.
- Keyed Lock System**
 The keyed lock supports controlled access in commercial food handling environments.
- Modular Panel Design**
 The modular cam-lock and tongue & groove design supports assembly of cooler wall panels.
- Indoor/Outdoor Use**
 The unit is specified for indoor and outdoor commercial kitchen installations.
- Warranty Coverage**
 It includes a 10-year panel warranty, 1-year parts warranty on doors, and 1-year compressor & parts warranty on the remote refrigeration unit by the manufacturer.



PRODUCT OVERVIEW

The PolarBox Series walk-in cooler is designed for commercial kitchen and restaurant cold storage applications. It features white galvanized steel construction with 24-gauge panels and polyurethane insulation. The unit measures 138" (W) x 177" (D) x 87" (H) with 4" thick insulation and R-28 thermal resistance for refrigerated storage environments.

The PolarBox Series walk-in cooler includes a remote refrigeration system with a thermostatic expansion valve and liquid line solenoid valve (TXV/TEV). The unit operates on 208/230 V, 1 phase power at 60 Hz with a hardwired electrical connection. A condensing unit and evaporator are included for commercial refrigeration installation.

The PolarBox Series walk-in cooler features one solid swing door with a 77" door height, keyed lock, self-closing function, and flush-mounted design. The modular cam-lock and tongue & groove hinge system supports panel assembly. The unit includes a standard galvanized steel floor for indoor or outdoor foodservice applications.

The PolarBox Series walk-in cooler is proudly made in America and carries UL Listed US, NSF Listed, and DOE certifications. This 12 ft nominal width and 15 ft nominal depth cooler includes a 10-year panel warranty, 1-year parts warranty on doors, and 1-year compressor & parts warranty on the remote refrigeration unit by the manufacturer.

CERTIFICATIONS

UI Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	138 inch	Product Depth	177 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	15 ft	Nominal Width	12 foot
Nominal Height	7 foot	Hertz	60 hertz
Phase	1 Phase	Voltage	208-230 volt
Door Style	Swing	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Door Lock	Keyed Lock
Material	White Galvanized Steel	Type	Walk-In Cooler
Floor	With Floor	Plug Type	Hardwired



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Refrigeration Type	Remote Refrigeration	Usage	Indoor / Outdoor
Country of Origin	Proudly Made in America	Selling Unit	1/Each
Gauge	24 Gauge	Thermal Resistance	R-28
Material Type	CFC & HFC Free	Features	Self-Closing, Flush-Mounted Door
Valve Type	Thermostatic Expansion, Liquid Line Solenoid Valve (TXV/TEV)	Number of Doors	1 Door
Included	Condensing Unit and Evaporator	Series	PolarBox Series
Floor Material	Standard Galvanized Steel Floor	Door Width	Choice of 30" or 36"
Compressor Location	Remote		

PolarBox Series 12' x 15' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

Model: PBCWF12X15-RM