



PolarBox Series 8' x 8' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

(Model: PBWF8X8-RM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

**10-Year Panel, 1-Year
Parts on Doors, 1-Year
Compressor & Parts on
Remote Refrigeration
Unit**

SPECIAL FEATURES

- ✓ Superior Insulation**
 4-inch polyurethane panels deliver R-28 thermal resistance with CFC & HFC free materials for optimal temperature control.
- ✓ Tough Build**
 24-gauge galvanized steel with floor for long-lasting use.
- ✓ Reliable Cooling**
 Integrated condensing unit and evaporator with TXV/TEV valves provides consistent temperature maintenance.
- ✓ Certified Safety**
 UL Listed US, NSF Listed, and DOE certified, meeting all required safety and sanitation standards for commercial food storage.
- ✓ Secure Access Control**
 Self-closing solid swing door with keyed lock system and modular cam-lock design provides controlled access and food safety.
- ✓ Easy Loading**
 77-inch high door provides easy access for loading and unloading large perishable items.
- ✓ Efficient Power**
 208/230V, 60Hz single-phase operation designed for commercial power systems.
- ✓ Comprehensive Warranty**
 Includes 10-year panel warranty and 1-year coverage for door, compressor, and refrigeration unit parts.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Cooler is designed for commercial use in restaurants, catering, and foodservice operations. It is suitable for both indoor and outdoor storage of perishable goods. Made in America, the unit is constructed from white galvanized steel and includes an floor for stable and durable support.

This commercial walk-in cooler features a solid swing door that is self-closing and flush-mounted, providing secure access. The door comes with a keyed lock and has a height of 77-inch. The hinge type is modular cam-lock with a tongue & groove design. The unit is equipped with a thermostatic expansion valve and a liquid line solenoid valve (TXV/TEV).

This unit operates on 1 phase with 208/230 V and 60 Hz power for reliable cooling through a hardwired plug. It is insulated with 4 in polyurethane panels that provide R-28 thermal resistance. The materials are CFC & HFC free for safe performance. The overall dimensions of the cooler are 8 ft (W) x 8 ft (D) x 7 ft (H) for ample goods storage. The unit also includes a condensing unit and evaporator for consistent cooling.

This commercial walk-in cooler is UL Listed US, NSF Listed, and DOE certified, meeting safety and sanitation standards. The panel gauge is 24 gauge, providing structural strength. The warranty includes 10 years on the panel, 1 year on parts on doors, and 1 year on the compressor & parts on the remote refrigeration unit, providing added support from the manufacturer.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	98 inch	Product Depth	98 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	8 ft	Nominal Width	8 foot
Hertz	60 hertz	Phase	1 Phase
Voltage	208/230 volt	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Type	Walk-In Cooler	Floor	With Floor
Plug Type	Hardwired	Usage	Indoor/Outdoor
Country of Origin	Proudly Made in America	Selling Unit	1/Each



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Door Style	Swing	Gauge	24 Gauge
Thermal Resistance	R-28	Features	Self-Closing, Flush-Mounted Door
Valve Type	Thermostatic Expansion, Liquid Line Solenoid Valve (TXV/TEV)	Included	Condensing Unit and Evaporator
Number of Doors	1 Door	Nominal Height	7 foot
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Material Type	CFC & HFC Free
Series	PolarBox Series	Refrigeration Type	Remote Refrigeration
Floor Material	Standard Galvanized Steel Floor	Refrigerant Type	R-448A

PolarBox Series 8' x 8' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

Model: **PBWF8X8-RM**



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

