



## ChillCore Series 39" Open Air Refrigerated Display Case, 11.1 Cu.ft, 4 Shelves (Model: CDADCR39)



★★★★★ (4.7/5)

[Buy Now](#)

**WARRANTY**

**1 Year Parts & Labor**

### SPECIAL FEATURES

- Compact Capacity**  
 The 11.1 cb3 capacity supports food display in commercial kitchen, bakery, and retail environments.
- Stainless Steel Interior**  
 Brushed stainless steel 304 interior with stainless steel shelves supports structured food display environments.
- Ventilated Airflow System**  
 Rear air intake and rear air discharge airflow with ventilated cooling supports temperature distribution.
- Dual Compressor System**  
 The 2 compressor setup (1/2 × 2 HP) supports refrigeration performance in food service applications.
- Open Access Design**  
 Doorless open access supports direct placement for bakery and supermarket merchandising.
- Certified Unit**  
 cETLus Listed and NSF Certified with a 1-year warranty by the manufacturer.



## PRODUCT OVERVIEW

The ChillCore Series Refrigerated Display Case is designed for commercial kitchen, bakery, and supermarket display applications. It features a freestanding installation type with a doorless open access design. The unit measures 39.37" (W) x 27.5" (D) x 78.75" (H).

The structure is built with stainless steel and glass in a black finish, with an interior made of brushed stainless steel 304. It includes tempered glass at 2 sides for visibility and structure support, along with 4 adjustable stainless steel shelves for organized food display.

This unit offers a capacity of 11.1 cb3 and operates with ventilated cooling, rear air intake and rear air discharge airflow, and high density polyurethane foam insulation. It uses R290 refrigerant with 2 compressors (1/2 × 2 HP), a bottom mounted compressor, and a condenser with filter for commercial refrigeration use.

The temperature range is 35.6°F to 41°F with a digital controller and dual probes. It includes LED lighting under each shelf (6500K), a night curtain, automatic evaporation defrost, and an anti-corrosion coated evaporator. The unit is cETLus Listed and NSF Certified, and includes a 1-year warranty by the manufacturer.

## CERTIFICATIONS

cETLus Listed

NSF Certified

## SPECIFICATION

| ATTRIBUTE         | VALUE                             | ATTRIBUTE         | VALUE                       |
|-------------------|-----------------------------------|-------------------|-----------------------------|
| Amps              | 14 ampere                         | Capacity          | 11.1 cubic feet             |
| Casters           | With Casters                      | Color             | Black                       |
| Number of Shelves | 4 Shelves                         | Phase             | 1 Phase                     |
| Refrigerant Type  | R-290                             | Temperature Range | 35.6°F to 41°F              |
| Type              | Vertical Air Curtain Merchandiser | Voltage           | 115 volt                    |
| Hertz             | 60 hertz                          | Horsepower        | 1/2 × 2 horsepower          |
| Installation Type | Freestanding                      | Interior Material | Brushed Stainless Steel 304 |
| Country of Origin | China                             | Material          | Stainless Steel             |
| Selling Unit      | 1/Each                            | Product Width     | 39.37 inch                  |
| Product Depth     | 27.5 inch                         | Product Height    | 78.75 inch                  |



# SPECIFICATION

| ATTRIBUTE                   | VALUE                     | ATTRIBUTE           | VALUE                                   |
|-----------------------------|---------------------------|---------------------|-----------------------------------------|
| Shipping Weight             | 652.56 pound              | Features            | 55% Humidity                            |
| Series                      | ChillCore Series          | Lighting            | LED Lighting (Under Each Shelf (6500K)) |
| Number of Casters           | 4 Casters                 | Temperature Control | Digital Controller with Dual Probes     |
| Condenser Type              | With Filter               | Finish              | Brushed                                 |
| Glass Type                  | Tempered Glass at 2 Sides | Insulation          | High Density Polyurethane Foam          |
| Defrost Type                | Automatic Evaporation     | Cooling Type        | Ventilated Cooling                      |
| Evaporator                  | Anti-Corrosion Coated     | Air Flow            | Rear Air Intake and Rear Air Discharge  |
| Shape                       | Rectangular               | Shelf Type          | Adjustable Shelves                      |
| Maximum Ambient Temperature | 75 fahrenheit             | Included            | Night Curtain                           |
| Access Type                 | Open (Without Door)       | Shelf Material      | Stainless Steel                         |
| Number of Compressors       | 2 Compressors             | Door Type           | Doorless (Without Door)                 |
| Compressor Location         | Bottom Mounted            | Display Case Type   | Open Air / Refrigerated                 |

ChillCore Series 39" Open Air Refrigerated Display Case, 11.1 Cu.ft, 4 Shelves

Model: CDADCR39



SALES & SUPPORT  
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

